

Index

Page numbers in *italic*, e.g. 153, refer to figures. Page numbers in **bold**, e.g. 321, signify entries in tables.

- 2D seismic
 - acquisition 1–2, 282
- 3D seismic
 - acquisition 2, 282
 - displacement mapping 135
 - history 1–2
 - impact on earth sciences 4–5
 - interpretation 2–3
 - long-offset 5
 - short-offset, high-resolution 40
 - versus 2D 1–2
- 4C seismic 3, 5–6
- 4D seismic 3, 5–6, 297–302, 311–320
- accommodation space 36, 76, 88, 94, 101–113, 149, 155, 173, 173
- accretionary prism 143–148
- acquisition 284
 - wide azimuths 6
 - long offsets 6
- acoustic impedance 236–238, 239, 313–314
 - inversion 4
- acoustic rock properties 40
- Aegean Sea 323, 324
- Afen Slide 54, 59, 60, 191
- Agbami Field, Nigeria 45
- aggradational reflection configurations 93, 93–95, 99, 121
- Akpo Field, Nigeria 45
- Alba Field, North Sea 6, 346, 347
- Allan diagram 5
- amplitude anomalies 228, 228–229, 312
 - conical-shaped 263, 268–273, 273
 - extraction maps 79
 - inversion 234
 - mapping 227
 - V-shaped 263, 268, 270, 274–275, 311–320
- analogue models 157
 - of flow of melt 178
 - of reservoir architecture 25–33, 35–43
 - salt structure formation 159
 - sandbox 101–115, 129, 130
- analogue outcrops 204, 207, 209, 251, 266
- Asgard Field development, offshore Norway 288–289, 290
- aspect ratios 25, 28, 30–32, 38
- asset teams 2
- Atlantic Ocean, opening 119, 120
- attenuation algorithms, multiple 3
- attribute analysis 40, 219, 305, 333–334, 340
 - edge enhancement 250, 252
 - reflection index 286–287, 288–289, 290, 295
 - see also* dip attribute displays
- autopicking
 - area tracking 255–261
 - seed points 2
 - sensitivity to signal variations 3, 284
 - shape-based 227–230
 - steering criteria 2
 - trace difference 293
- autotracking *see* autopicking
- AVO 5–6, 230, 237, 237–238
 - anomalies 4
 - integrity 302
- back-arc spreading 144
- back-thrust
 - conjugate 144
 - ramps 48, 50
- barriers to fluid flow, lateral 123–124
- basalt 5–6, 75
- basement imaging 13, 19
- basin floor fan 27, 29–32
- basin modelling 4, 321–331
- basin-scale processes 1, 5, 25
- bathymetry 171–172
- Berkine Basin, Algeria 235–248
- BIRPS deep reflection seismic projects 4
- Bonga Field, Nigeria 45
- borehole stability analysis 303
 - see also* wellbore stability
- bottom simulating reflector 65, 67–69
- Boulton Fields, Southern North Sea 220–221, 222
- breach-point 37
- breccias
 - explosion 209
 - injection 265
- Brendan's Dome igneous complex 200, 200
- British Tertiary Volcanic Complex 205
- Caister Field, Southern North Sea 219–221
- calibration, of seismic 40
- canyon, submarine 95, 98–99
 - formation 38, 39
 - wasting 26, 28
- Canyonlands Grabens, USA, rift system 109–110
- carapace doming, salt 150
- carbonate mounds 295–296, 336 *see also* coral build-ups; mounds
- Cascadia accretionary wedge 144
- Caspian Sea 306
- Castellon Field, offshore Spain 92–100
- channel 86–88, 228, 228–231, 231
 - development, interaction with topography 73–81
 - equilibrium profiles 36
 - fill 28–29, 32, 49 *see also* channel plugging
 - geomorphology 36–38, 40–41, 49, 49, 54
 - imaging 11–33
 - incision 76, 78, 80, 81, 87, 88, 124
 - knick point 36–37, 37
 - plugging 29–31
 - ridge 18, 20, 20
 - structural controls on 45–51
 - see also* channel-levee system; meanders; moat-channel system; palaeochannel; turbidity flows
- channel-levee system 17, 19–20, 26–32, 38, 39, 41, 49–51, 76–79, 95
- Chao dacitic coulee, northern Chile 215–216
- Charlie Gibbs Fracture Zone 118, 119
- Clare Lineament, offshore Ireland 118, 119
- Clark Field, Southern North Sea 220–221, 222
- clinoforms
 - breakpoint 83
 - geometry 216
 - prograding and downlapping 76, 95
- CO₂ injection 311–320

- COCORP deep reflection seismic projects 4
 Coffee Soil Fault 149–150, 153–159, 163
 common mid-point method 1
 compactional history 328
 see also differential compaction
 compensation faults 141
 completion engineering 308
 compressional deformation 120, 135, 146, 162, 193–197, 219
 ridge-pull stress 180
 conjugate margins 321
 Connemara Field, offshore Ireland 118
 continuity loss 219
 contour currents 26, 86, 88, 88
 contourites 55–56, 57, 63–71, 83, 87, 88, 120, 210, 280, 284,
 286, 291, 295
 seismic characteristics 63, 283
 see also moat-channel system; moat-drift complex
 coral build-ups, chemosynthetic/cold water 283, 289
 Coriolis Force 22
 Corona Sill, Faroes-Shetlands basin 209–216
 crevasse splays 29, 229
 crustal melting 73
 crustal thinning 321, 323
- Dan Field, offshore Denmark 149
 Dan salt structure, offshore Denmark 149–150, 152–157,
 159–160, 161
 data, seismic
 overutilization 4
 underutilization 3
 debris flows 22, 54, 56–59, 65, 68, 69, 210, 265, 280, 282,
 284, 286
 hummocky 291
 see also debrites; Rona Apron; Sandoy fan
 debrites 25–28, 30, 30–32, 38, 65, 69, 69
 décollement surface 136–138, 140, 145
 deep reflection seismic 4
 deepwater
 depositional facies analysis 36
 depositional systems 4–5, 17–18, 20–22, 25–33
 processes 36–38
 deformation
 brittle 323
 styles 209
 velocity 322–325
 see also compressional deformation; fault; fold-and-thrust
 style deformation; thrust faulting
 Delauney tessellation 342, 344
 delta 121, 123, 129, 131, 191
 development 91–100
 progradation 75–77
 density inversion 4, 66, 199, 271, 273
 depositional architecture 25–33, 35–43, 47, 79, 263, 286
 depositional environments, discerning 35
 depositional systems
 deepwater *see* deepwater depositional systems
 shallow water *see* shallow water depositional systems
 depth conversion techniques 188, 250, 289, 295
 depth imaging 233
 detachment faults 84, 85
 detachment zone 48–49, 104, 123, 129, 136, 141, 156
 see also décollement surface
 detectability 282
 development, integrated use of 3D seismic in 279–296
 dewatering, compactive 146, 183–184, 273
 DHI *see* direct hydrocarbon indicators
 diapirs *see* mud diapir; salt; shale diapir
- differential compaction 18, 20, 66, 95, 99, 124, 129, 131,
 147–148, 162, 213, 216, 265, 274, 289
 differential loading 171
 digital terrain model, filters 54
 dip attribute displays 25–26
 direct hydrocarbon indicators 4
 discontinuity
 analysis 250–261
 anomalies 251, 252–257, 253
 data, dip-steered 250
 surface 38
 disconformity surfaces 11 *see also* unconformity surfaces
 down-warping, flexural 120
 drainage patterns 12
 drapes, sediment 29, 32, 38, 54 *see also* pelagic and hemipelagic
 sedimentation
 drilling
 hazards 35, 39–40, 287, 288–293
 incidents 305, 305
 performance 303–310
 steering 294
 use of 3D seismic in 279–296
- Earth model 303–308
 earthquake activity, cause of sediment remobilization 273
 Ebro continental margin, offshore Spain 91, 92, 95, 99
 Ekofisk Field, offshore Norway 282
 elastic impedance 236–242, 244–248, 244, 297
 elastic inversion technique 230
 environmental assessments 53
 Erha Field, Nigeria 45
 Erland igneous complex 200
 erosional features 192, 196, 242, 265
 as a sequence boundary 83–89
 Messinian 91
 Ethiopian Rift, Northern, rift system 109
 extension 179, 184
 basin modelling 321–331
 regional 129
 thick-skinned 162
 thin-skinned 133–142, 156, 160, 323
- Faroes-Iceland Ridge 187, 188
 Faroes-Shetland Basin 73–82, 182, 199–217, 289, 289–293 *see*
 also Faroes-Iceland Ridge; Faroes-Shetland
 Channel; Judd Deep; Wyville-Thompson Ridge
 Faroes-Shetland Channel (FSC) 283
 seabed morphology 53–61, 63–71, 279, 280, 283–285
 Tertiary inversion 187–198
 fault 249–261, 284, 287, 295
 array evolution 117–142
 block 236, 328
 rotation 28, 129, 179, 181, 183–184
 compaction, layer-bound 146–148
 concentric 158
 conjugate arrays 106, 106, 123, 124
 counter-regional 165, 166
 cut-off lines 258, 259
 displacement analysis 138–139, 339–348
 extensional 112, 221, 293, 308
 offset 104, 105, 107, 123, 126, 131
 geometry 5, 339–348
 birds-foot 127
 growth 140, 156
 hydraulic properties 308

- linkage 105, 112, 129, 133, 137, 138, 141, 250
 listric 135–141, 179, 221, 293
 master 151
 models 108, 150, 340–348
 normal 144–148, 321, 327
 polarity change 101, 107, 110, 113, 136, 138–140
 polygon maps 220
 radial 158–159, 158, 162
 reactivation 122, 129–131, 150
 recognition 250
 rock properties 5
 roller 166, 168, 170, 175
 rollover 167
 sealing 183, 307, 335–336
 slip rate 321
 strike-slip 104, 109, 119
 model 150
 surface mapping 5
 tip 109, 110, 125, 126, 129, 139, 257, 287, 340
 rotation 106
 trace
 kinked 102
 splay 102–103, 129, 136, 138, 141
 welds 165, 168, 170, 172, 174, 175
see also compensation faults; discontinuity; fracture; graben geometries; horizon cut-offs; horst; hydro-fracturing; Murdoch Fault; polygonal faults; rift basins, fault reactivation
- feeder ('blow-out') pipes 273, 275
 fill and spill processes 36, 39
 flat-spot analysis 4
 Flett Ridge 73–82
 flowing sands 283, 290, 291, 295 *see also* shallow water flows fluid
 content, impact on acoustic impedance 4
 flow models 321
 prediction 6
 fluidization 209, 214, 216, 263–277
 fluidized flow 273
 fluvial system, stacked braided 235
 Foinaven Active Reservoir Management (FARM) experiment 297, 298
 Foinaven Field development, West of Shetland 280, 289–293, 297–302
 fold-and-thrust style deformation 144, 147
 footwall traps 294
 fracture
 analysis 342
 gradient 306
 mapping 6, 308
 FSC *see* Faroe-Shetland Channel
 fuzzy logic analysis 238, 239–241, 244–248
- gas accumulations 40
 shallow anomalies 84, 288, 290, 293–295, 307
 gas chimneys 6, 152, 182–183, 183–185, 191, 287, 293, 333–337
 CO₂ 312–320
 see also gas accumulations; seep communities
 gas hydrates 307
 geo-body
 identification 232–234
 tracking 245, 247
 geohazards 60, 147, 281, 283, 288, 303, 304, 334–335
 see also drilling hazards
 geological model 253, 257–258
 depicting uncertainty 307–308, 309
- geomechanics 305, 307–308
 Geotechnical, Environmental and Marine (GEM) Project
 regional investigation, Faroes Islands 281, 285, 288
 geotechnical problems 279–296
 ghost notch 36
 ghosting horizons 3
 Gjallar Ridge, offshore Norway 177–185
 glacial tills 290, 295
 graben geometries 106, 110, 135, 146
 collapse 158, 162
 raft-graben framework 135–141
 see also Viking Graben
 gravitational collapse 129–131
 gravitational stability 323
 gravity
 flows 26, 32, 38, 181, 285 *see also* debris flows; debrites; turbidity flows
 modelling 177–178
 sliding 135, 219
 grid-based interpretation 2
 grounding, salt 150
 Gulf of Mexico 20–22, 35–37, 40, 282–283, 290, 291, 306, 342–346
 counter-regional salt system 165–176
 growth-fault array 133, 141
 loop current 22
 Gulf of Suez, Egypt, rift system 109, 110
 Gullfaks Field, Norway 6
 gullies 59, 59
- hangingwall 287
 folds 51, 144, 153, 165
 Hawksley Field, Southern North Sea 219, 220–221, 222
 healed-slope deposits 37, 37
 heat flow 325–326, 330–331
 High Velocity Body 177
 highstand 81, 94–95
 Hod Field, Norway 6
 horizon cut-offs 342
 horizontal wells 11, 13
 horst 146, 253
 hydrocarbon
 maturation 321
 migration 184, 273, 293, 334–335, 339 *see also* gas chimneys; hydrothermal fluid chimneys
 production 2
 reserves 2
 hydrofracturing 129–130, 147–148
 hydrothermal fluid chimneys 183–185
 systems associated with sills 199
 hyperpycnal plumes 70
- iceberg scouring 54, 55, 284, 288, 290
 Icelandic mantle plume 69, 187, 188, 194–196, 196, 199, 330
 igneous geology 5, 75–76, 192
 depth of intrusion 213
 rare earth geochemistry 188
 see also sills
 image quality 2
 imbricate thrust zone 144, 145
 increased oil recovery project 249
 injectites 263–277
 inter-canyon sediments 28, 32
 International Ocean Drilling Programme 40
 leg 38 184
 leg 131 143

- leg 190 143
- leg 196 143
- well 808i 144, 146–147
- well 1173b 144
- well 1174b 144, 146–147
- interpreter, seismic
 - evolving role of 4
 - mindset of 3
- inverse modelling 321–331
- inversion 74, 112, 119, 119, 159, 184, 187–198 *see also* density inversion; Westray inversion complex
- IODP *see* International Ocean Drilling Programme

- Judd Deeps *see* Judd Falls
- Judd Falls (previously known as Judd Deeps) 54, 56, 57, 59, 188, 190–191, 191–197, 200, 279, 280
- Judd High 73, 74

- Karoo Basin, South Africa 181, 204, 209–210, 216
- kinematics 5
- Kraka Field, offshore Denmark 149
- Kraka salt structure, offshore Denmark 149, 152–156, 158–160
- Kutei Basin, Indonesia 25–33

- lacustrine basin 134
- landslides 54, 59 *see also* slides
- lateral accretion surfaces 11, 12–16
- limit of separability 282, 285
- lithofacies 239
- lithological distribution patterns 11
- lithology
 - direct indicators of 4
 - prediction 6, 11
- lithospheric loading 326
- load structures 273
- Lomond Field, UK 6
- Lower Congo Basin, offshore Angola 133–142
- lowstand deposition 22, 311
 - systems tracks 121
- Loyal Field, West of Shetland 280, 297–302

- magmatic underplating 177–179 *see also* High Velocity Body
- magnetic anomalies, recognition of 4
- mapping, subsurface geological, new age 1
- mass transport
 - deposits 37, 68, 69, 77, 78–80, 95, 192
 - processes 21, 28, 66, 285
 - wasting 84
 - see also* Afen Slide; contourites; debris flows; debrites; landslides; slides; slump scars; Storegga Slide; talus deposits; turbidity flows
- master erosion surface 28, 30
- McAdam Field, Southern North Sea 220–222, 221, 224
- meanders, channel 14–17, 17, 25, 37, 41, 99, 228–231
 - loop migration 18, 20
- megamerges 4
- Messinian ‘salinity crisis’ 91, 98–99
- meteor impact craters 4
- micro-earthquake events 6
- Mid-Atlantic Ridge 196
- Mid-North Sea High 149
- migration
 - depth, post-stack 220, 224
 - depth, pre-stack 5, 230, 264
 - over 211
 - smiles 202
 - time 220–221, 223–225
 - time, pre-stack 264
- Mississippi 12, 15
 - Delta 279
 - Fan 28
- moat-channel system 66–68, 69
- moat-drift complex 69, 284, 286
- moraines, glacial 55, 56
- mounds 181, 184, 263, 265, 267–268, 269, 275
- mud diapirs 25–26, 27, 179, 181, 181–184, 183–184
- mud volcanoes 6, 307, 334, 336
- multiple suppression 283
- Murdoch Fault 220
- Murdoch Field, Southern North Sea 219–221
- Murdoch K Field, Southern North Sea 219–226

- NADW *see* North Atlantic Deep Water
- Nankai subduction zone, SW Japan 143–148
- Navier-Coulomb behaviour 101
- near-seafloor seismic studies 25, 35–43
- net-to-gross variations 25, 31
- neural network detection system 5, 219, 333–337
- Niger Delta, Nigeria 41, 45–51, 279, 336, 336
- Njord Field, offshore Norway 249–261
- noise levels 3, 236, 271, 283, 302 *see also* seismic data quality
- North Atlantic Deep Water (NADW) 63, 69, 187, 189–190
 - see also* Northern Component Water
- North Atlantic Drift 280
- North Sea 83–89, 101, 146–163, 263–277, 279, 288–289, 311–320, 328–330, 336–337, 339, 346, 347
 - Southern 110, 112, 219–226
- Northern Component Water 187, 196, 196
 - southern gateway 195
- Norwegian Sea Deep Water 64, 66, 70

- offshore installation integrity 4
- onlap 75, 79, 84, 95, 182, 184, 242
- opacity function 2, 228
- opal C/T
 - precipitation 66
 - reflector 179, 288
- optical stacking 4
- Ormen Lange Field, offshore Norway 282, 285
- outcrop scale limitations 1
- overpressure 40, 129–130, 147, 158, 184, 273, 283, 290, 335

- palaeo-flow direction 14
- palaeo-sea bed 213–214, 267–268
- palaeo-shelf-break 93
- palaeo-topography 79–80, 88, 98, 99, 184, 194, 235
- palaeobathymetry 88, 327–328
- palaeochannel 98
- palaeoclimatic records 63
- palaeoslope 83, 147
- Patanni, Gulf of Thailand, rift system 110, 111
- pelagic and hemipelagic sedimentation 28–29, 38, 143–144, 263, 265
- peperites 209
- petrophysics 4
 - corrections 236–237
 - for automatic geo-body identification 231–234
 - see also* rock properties; synthetic seismograms
- phreatic eruptions 209
- pipeline and cable routes 275, 296

- pockmarks 4, 183, 191, 199, 271, 334, 336, 336
 point bar deposition 11–12, 13–16
 polygonal faults 4, 54, 59, 126, 129, 146–147, 158, 158–159, 162, 184, 183–185, 199, 269, 271–272, 272–275, 284, 339, 346, 347
 ponded sediments 36–37, 49, 92
 Porcupine Basin, offshore Ireland 117–132
 pore pressure 302, 304, 305, 306, 307
 pressure prediction 298, 299 *see also* pore pressure
 principal components analysis 229
 progradation 75–76, 84, 88, 92–93, 94–95, 121
 protothrust zone 144, 145
 pull apart basin 227
- raft system 133–142, 219
 ramp system 84, 85, 249
 recording and processing, digital 1
 regression 20, 21
 regressional cycle model 45
 relative sea-level change 21, 28, 30, 30–32, 76–77, 80, 81, 94–95, 120
 relay ramp structures 101–113, 249
 soft-linked 109
 remobilization of clastic sediments, post-depositional 4, 263–277
 reservoir
 - caprock 311 *see also* seal
 - characterization 236, 301
 - connectivity 31, 39
 - distribution
 - controls on 51
 - prediction 11, 31
 - management improvement 11
 - models 35, 38, 39
 - resolution 219
- Reykjanes Ridge 188
 ridge-channel systems 67, 67–68
 ridge jumps 195, 196
 rift basins 101–113, 119, 210, 235, 321, 329
 - architecture 113, 134
 - fault reactivation 122, 129–131
 - margin fault system 105, 107–109, 112–113, 122
- rift model
 - offset 110
 - orthogonal 110
- rig site surveys 53
 Ringkøbing-Fyn High 83, 84, 149
 risk reduction 2, 282, 284–285, 287
 Rita Field, Southern North Sea 220–221, 222
 rock properties
 - calibrated to petrophysics 4, 235–248
 - strength 307
- roho salt system 165, 168, 175
 Rona Apron debris flow, Faroes-Shetland Channel 279, 280, 289
- Saline Aquifer CO₂ Storage (SACS) methods 311–320
 salt 40, 333
 - counter-regional salt system 165–176
 - diapirs 32, 135, 140–141, 150, 293–295, 340
 - evacuation 141, 149, 157–160, 162, 166, 167, 173–175
 - flow rate 172
 - imaging below 6, 101
 - ‘keel’ structure 167, 171
 - pillows 136, 138, 141, 150, 152, 153, 154–155, 158, 160
 - rise and fall model of raft tectonics 133, 136, 140–141
 - roller-type structure 151
 - stock canopies 165
 - structures, evolution and growth 149–163, 165–176
 - tectonics 5
 - tongue canopy 172–175
 - wedges 159
 - welds 166–172, 174, 175
- San Jorge Basin, Argentina 327–328
 Sandoy fan, Faroes-Shetland Channel 284, 286
 sandstone intrusions 263–277
 saturation prediction 302
 Schiehallion Field development, West of Shetland 280, 289–293, 297–302
 sea-level change 74, 83, 99
 - eustatic 73, 80, 134
 - glacio-eustatic 69
 - see also* relative sea-level change
- seabed
 - morphology 53–61
 - sensors, permanent 6
 - stability 281, 282
- seafloor
 - conditions, unfavourable 40
 - spreading 119, 146, 147 *see also* ridge jump
- seal 236
 - breach 336
 - distribution prediction 11
 - fracturing of 274
 - integrity 183–184
 - resolution 219, 223
- sediment
 - apron 45, 95 *see also* Rona Apron
 - extensional collapse of 47, 49
 - bypass zone 173
 - drape *see* drape
 - mobilization 263–277
 - supply, directional switch 83
 - waves 17, 19, 25–26, 31–32, 55–56, 67, 69–70
 - climbing 64, 68
- sedimentation processes, discerning 35
 seed points, for autopicking 2
 seep communities 268
 seismic
 - 2D *see* 2D seismic
 - 3D *see* 3D seismic
 - band limitation 264
 - data quality 302
 - geomorphology 5, 11–24
 - imaging 264, 283
 - inversion 241–248
 - processing, challenges 2, 5, 269, 284, 301
 - refraction 177
 - resolution 2, 25, 35–36, 279, 283, 283, 288, 301, 302, 339
 - signal/noise levels 3, 236, 271
 - stratigraphy 4–5, 11, 92–95, 183, 280
 - integration with seismic geomorphology 11, 12
 - thin-bed effects 312–314, 318
 - trace difference technique 293
 - valving models for permeability 308
 - wavelet, understanding of 2, 243
 - wide-angle reflection studies
 - expanding-spread profiles 177
 - ocean-bottom seismometer 177
- see also* 2D seismic; 3D seismic; 4C seismic; 4D seismic;
 acoustic impedance; amplitude anomalies; attribute
 analysis; autopicking; AVO; bottom simulating reflector;
 calibration; clinoforms; data; deep reflection seismic;
 depth conversion techniques; depth imaging;

- detectability; dip attribute displays; discontinuity; elastic impedance; elastic inversion technique; fault; flat-spot analysis; geo-body; geological modelling; grid-based interpretation; interpreter; inversion; limit of separability; migration; multiple suppression; near-seafloor seismic studies; neural network detection system; noise levels; opacity function; shallow section 3D seismic; shear velocity; skeletonization algorithm; synthetic seismograms; trace shape extraction techniques; velocity; visualization; volume; voxel; V-shaped profile; workflow
- sequence restoration 170–173
- sequence stratigraphy 73–81, 120–121, 292
 - boundary 83–89
 - maximum flooding surfaces 166, 169
 - see also* seismic stratigraphy
- shale diapir 335, 335
- shallow section 3D seismic 35–43, 53–61, 279–296
- shallow water
 - depositional systems 22–23
 - flow 40
- shear velocity 236–238, 247
- shelf ridges, shallow marine, imaging 12, 17–18
- signal-to-noise ratio *see* noise levels
- sills 5, 180–181, 209–217
 - geometry of 199–202, 207–208
 - junctions 202–207
- simulation model building 258–260, 300, 301, 319
 - history matching 308
- site development investigations 53
- skeletonization algorithm 135, 340–342
- Skjold Field, offshore Denmark 149
- Skjold salt structure, offshore Denmark 149–150, 152–160, 162
- Sleipner Field, North Sea 311–320
- slides 83–86, 86, 88, 131, 282
 - scars 68, 68
 - see also* Afen Slide; gravity sliding; Storegga Slide
- slope
 - fan 27, 29, 30, 32, 54, 58–59, 59
 - instability 40, 129, 131, 284–285
- slope-canyon morphology 25–33
- slope-channel complexes 28–30, 30, 32
- slump 86, 88, 120
 - scars 22–23, 23, 28, 65–67, 70, 191 *see also* slide scars
- Slyne Basin, offshore Ireland 118, 118
- Smith, William (1769–1839) 1
- soft-sediment deformation 4
- source rock
 - distribution prediction 11
 - maturation of 133, 141
- South Pass 89 Field, offshore Gulf of Mexico 165
- Southern Salt Dome Basin, North Sea 149–163
- spatial aliasing 2
- spatial stacking 4, 28, 35
- spill-point 37, 37
- stacking patterns 30–32, 38, 41, 49, 58, 121, 235
 - see also* spatial stacking
- Staffjord Field, Norway 6
- steering criteria, for autopicking 2
- Storegga Slide, offshore Norway 282, 285
- strain
 - analysis 5
 - rate history 321–331
- stratigraphic discontinuities 12
- stratigraphic growth patterns 136–138
- stratigraphic targets, extraction of 227–234
- stratigraphic trap 23–24, 333, 335
- stratigraphy
 - 'Christmas tree' 183, 185
 - reinvigoration of 1
 - see also* seismic stratigraphy; stratigraphic targets; stratigraphic trap
- stress, regional 307
- stretching, lithospheric 322, 327, 331
- structural aliasing 6
- structural complexity 219
- structural restoration 340
- structure, relationship to deep-water channels 49–51
- subduction thrust system 143–148
- subsidence 174, 181, 321, 323
 - differential 99
 - gradient 329
 - history 326
 - in overburden 6
 - regional 131
 - thermal 73, 76, 83, 119–121, 162, 195, 199, 327, 329–330
- Suilven Field, West of Shetland 280
- supercritical fluid 311
- survey footprint noise 54
- syneresis 147
- synthetic seismograms 2
- t-test 239, **240–241**
- talus deposits 98, 99
- template horizon 227–230
- thalweg development 36–37, 98
- thermohaline currents 70
- thrust faulting 47, 48
 - imbricate 144
 - see also* back-thrust ramps; protothrust zone; subduction thrust system; toe-thrusting
- time-lapse 3D seismic *see* 4D seismic
- toe-thrusting 28, 32, 47, 48, 65
 - anticlines 25–26, 26–27, 29, 31
- tolap relationship 93
- trace shape extraction techniques 227
 - classification 229–230, 231
- trackers 2
- transfer
 - faults 102, 104, 109, 113
 - zones 47–51, 73
- Transverse Zone 150
- Troll Field, offshore Norway 282
- turbidite plays 134, 141
- turbidity flows 18, 28–29, 54, 58, 70, 99, 143–147, 173
- Tyne Fields, Southern North Sea 220–221, 223
- unconformity surfaces 16–17, 138, 162, 192–193
 - base Cretaceous, offshore Ireland 120, 131
 - base Permian, Southern North Sea 220, 221, 222
 - base Upper Pliocene, offshore Norway 179
 - glacial, Faroes-Shetland Basin 64–65, 65, **282**, 284–286, 289
 - Hercynian, Algeria 242, 244–245
 - intra Neogene, Faroes-Shetland Basin 64–69, 64–66, 190–196, 279–296
 - Messinian, Spain 91–100
 - mid Miocene, Central North Sea 293, 293–294
 - mid Miocene, Faroes-Shetland Basin 65, 66
 - mid Miocene, Southern North Sea 220
 - near top Oligocene, North Sea 83–89
 - top Palaeogene (formerly termed the latest Oligocene-early Miocene or LOEMU), Faroes-Shetland Basin 65, 66, 188, 190–197, 279–296

- uplift
 - Permian 210, 219
 - pre-Cenomanian 179–185
 - regional 120, 129, 130, 187
- V-shaped profile 311–320
 - amplitude anomalies 263
 - ridges 188, 195–196, 196
- Valencia trough, offshore Spain 91, 92
- Valhall Field, Norway 6
- valleys
 - buried 84, 94–95
 - incised 23, 124
 - Messinian dendritic system 94–98
- Var sedimentary ridge 26, 31
- velocity
 - pull-up 182, 271
 - push-down 152, 191, 312–320
 - push-down-amplitude ratio 319, 319
 - factor 316–319
 - Total Integrated Time Delay 316, 318–319, 318
 - shear 236–238, 247
 - structure 219
- Viking Graben, offshore UK 263–277
- virtual reality 260
- visualization 5, 25, 40, 177–185, 219–234, 249–261, 271, 273, 340
 - of fault systems 138
 - of production characteristics 297–302
- volcanoes, submarine 199, 213
- volume
 - interpretation methods 217–234, 238
 - object probability 327
 - porosity 231, 232
 - rendering 219
 - sculpturing 254–256
- Vøring Basin, offshore Norway 177–185, 279, 287–288, 330–331
- Voronoi tessellation 341, 341
- voxel, evolution 2–3, 271
- welding, pre-salt/post-salt 140–141
- well
 - performance prediction 297–298, 300
 - planning 4, 260, 303, 307–308
- wellbore stability 303, 304, 306–307
- West Delta 133 Field, offshore Gulf of Mexico 165
- West Shetland Drift (WSD) 64–70
- Western Frontiers Association (WFA) regional investigation, Norway 53, 285
- Westray inversion complex, Faroes-Shetland Basin 190, 191, 195, 195, 197, 200
- workflow
 - for production forecasting 249
 - for reservoir prediction 236, 238
 - for seismic interpretation and processing 250, 251, 339
 - for time migration interpretation 223
 - for well planning 249, 303–309
 - optimisation 2
- Wyville-Thompson Ridge 63, 64, 73, 74, 187, 188, 194–195