

## Index

- Acts of Parliament  
 Continental Shelf Act 2  
 Petroleum Production Act 1
- Alwyn Marl 66
- Alwyn North field 12  
 data summary 31  
 geophysics 26  
 history 22–3  
 hydrocarbon quality 30  
 location 22  
 reserves 31  
 reservoir character 28–30  
 source rock 30  
 stratigraphy 24–6  
 trap structure 27–8
- Amethyst gas field  
 data summary 393  
 geophysics 389–91  
 history 387–8  
 hydrocarbon quality 392  
 location 387  
 reserves 392  
 reservoir character 391–2  
 source rock 392  
 stratigraphy 388–9  
 trap structure 391
- ammonite zones 12
- Amundsen Formation 24–5, 29, 39, 65
- Andrew Formation 16  
 Arbroath 213  
 Balmoral 239, 240  
 Cyrus 296, 297–9  
 Forties 303–4  
 Glamis 318  
 Montrose 213
- Angus Formation 14
- Arbroath field  
 data summary 216  
 geophysics 213–14  
 history 211–12  
 hydrocarbon quality 216  
 location 211  
 reserves 216  
 reservoir character 215  
 source rock 215  
 stratigraphy 212–13  
 trap structure 215
- Argyll field 3, 9, 10  
 geophysics 221  
 history 219–20  
 hydrocarbon quality 224  
 location 219  
 reserves 224–5  
 reservoir character 222–3  
 source rock 223–4  
 stratigraphy 220–1  
 trap structure 221–2
- Argyll Formation 229
- Auk field 3, 10  
 data summary 235  
 geophysics 231  
 history 227  
 hydrocarbon quality 235  
 location 227  
 reserves 236  
 reservoir character 231–4  
 source rock 235  
 stratigraphy 227–31  
 trap structure 234
- Auk Formation 221, 223, 228–9
- Bacton Group  
 Amethyst 388  
 Barque 396  
 Camelot 403  
 Cleeton 411  
 Clipper 418  
 Indefatigable 443  
 Ravenspurn North and South 461, 471  
 Rough 479  
 Sean 485  
 Viking 511  
 West Sole 518
- Balder field 3
- Balder Tuff Formation  
 Alwyn North 26  
 Arbroath 213  
 Auk 230  
 Balmoral 239  
 Brent 66  
 Crawford 288  
 Cyrus 296  
 Dunlin 96  
 Eider 105  
 Frigg 120  
 Glamis 318  
 Maureen 348  
 Montrose 213
- Balmoral field 16  
 data summary 242  
 geophysics 239  
 history 237–8  
 hydrocarbon quality 242  
 location 237  
 reserves 242  
 reservoir character 240–2  
 source rock 242  
 stratigraphy 238–9  
 trap structure 239
- Barque gas field  
 data summary 400  
 geophysics 396–7  
 history 395  
 hydrocarbon quality 399  
 location 395  
 reserves 399  
 reservoir character 398–9  
 source rock 399  
 stratigraphy 395–6  
 trap structure 397–8
- Beatrice field 14–15  
 data summary 251  
 geophysics 247–8  
 history 245–6  
 hydrocarbon quality 251  
 location 245  
 reserves 251  
 reservoir character 248–50  
 source rock 250  
 stratigraphy 246–7  
 trap structure 248
- Beatrice Formation 247, 249–50
- Beryl Embayment 14
- Beryl Embayment Group 39–40
- Beryl field 4, 14  
 data summary 41  
 geophysics 35–6  
 history 34  
 hydrocarbon quality 40  
 location 34  
 reserves 40–2  
 reservoir character 37–40  
 stratigraphy 34–5  
 trap structure 36–7
- Beryl Formation 14, 39
- Big Dotty field 434, 440
- Brae complex 4, 9, 15 *see also* Central, North, South Brae
- Brae Sandstone Formation 11, 44–5, 50, 56, 159, 161
- Brent field 3, 4, 13  
 data summary 71  
 geophysics 66–7  
 history 63–5  
 hydrocarbon quality 71  
 location 63  
 reserves 71  
 reservoir character 69–70  
 source rock 70  
 stratigraphy 65–6  
 trap structure 67–9
- Brent Group 9, 11, 12–13  
 Alwyn North 25, 26, 28–9  
 Brent 65, 67–9  
 Cormorant 77–9  
 Deveron 84, 86  
 Don 90, 91–2  
 Dunlin 95–6, 97  
 Eider 105  
 Heather 129, 132, 133  
 Hutton 136–7, 138–42  
 Murchison 169, 170  
 Ninian 176, 179  
 Northwest Hutton 146, 147–8  
 Osprey 186  
 Tern 193  
 Thistle 201, 204–5
- Broom Formation 12, 13  
 Alwyn North 25  
 Brent 65  
 Cormorant 77–9  
 Deveron 84  
 Don 90, 92  
 Dunlin 97  
 Eider 107  
 Heather 133  
 Hutton 136, 138  
 Murchison 169, 170  
 Ninian 176, 180  
 Northwest Hutton 148–9  
 Osprey 186  
 Tern 193
- Brora Formation 14, 247, 250
- bubble point *see* data summary *under* *named field*
- Buchan field 9  
 data summary 259  
 geophysics 255  
 history 253–4  
 hydrocarbon quality 258  
 location 253  
 reserves 258  
 reservoir character 257–8  
 source rock 258  
 stratigraphy 254  
 trap structure 255–6

- Bunter Sandstone Formation 11  
 Barque 396  
 Camelot 403  
 Esmond 426, 427, 429–32  
 Forbes 426, 427, 429–32  
 Gordon 426, 427, 429–32  
 Hewett 435, 440  
 Indefatigable 443  
 Leman 452  
 Ravenspurn North 461  
 Sean 485  
 V complex 499  
 Viking 512  
 West Sole 518
- Bunter Shale Formation  
 Barque 396  
 Camelot 403  
 Esmond 427  
 Forbes 427  
 Gordon 427  
 Hewett 435  
 Ravenspurn North 461  
 Sean 485  
 V complex 499  
 Viking 512
- Bure gas field  
 data summary 496  
 geophysics 493–4  
 history 491–2  
 hydrocarbon quality 495  
 location 491  
 reserves 495  
 reservoir character 494–5  
 source rock 495  
 stratigraphy 493  
 trap structure 494
- Burton Formation 24–5, 29, 65
- Caister gas field 6
- Camelot gas field 6  
 data summary 407  
 geophysics 404–5  
 history 401  
 hydrocarbon quality 408  
 location 401  
 reserves 408  
 reservoir character 405–8  
 source rock 408  
 stratigraphy 401–4  
 trap structure 405
- cap rock *see* seal
- Carbonates breccia 229
- cements *see* diagenesis
- Central Brae field 15  
 data summary 53  
 geophysics 51  
 history 49  
 hydrocarbon quality 53  
 location 49  
 reserves 53  
 reservoir character 52–3  
 source rock 53  
 stratigraphy 50  
 trap structure 51–2
- Central Graben 2–3, 9
- Chalk Group  
 Buchan 254  
 Chanter 265  
 Cleeton 411  
 Highlander 325  
 Ravenspurn South 472
- Rough 479  
 Sean 488  
 Tartan 379  
 Victor 504
- Chanter field 15  
 data summary 268  
 geophysics 265  
 history 261–3  
 hydrocarbon quality 268  
 location 261  
 reserves 268  
 reservoir character 266–7  
 source rock 267–8  
 stratigraphy 264–5  
 trap structure 265
- Clair field 9
- clay mineralogy  
 Brent Group 28–9, 133  
 Leman Sandstone Formation 413, 455, 465–6, 495  
 Maureen Formation 351  
 Montrose Group 304  
 Sherwood Sandstone Group 532, 533–6
- Claymore field 4, 9, 15  
 data summary 277  
 geophysics 272  
 history 269–71  
 hydrocarbon quality 275  
 location 269  
 reserves 275, 277  
 reservoir character 273–5  
 source rock 275  
 stratigraphy 271–2  
 trap structure 272–3
- Claymore Sandstone 11, 15
- Cleeton gas field  
 data summary 415  
 geophysics 411  
 history 409–10  
 hydrocarbon quality 413–14  
 location 409  
 reserves 414  
 reservoir character 412–13  
 source rock 413  
 stratigraphy 411  
 trap structure 411–21
- Clipper gas field 10  
 data summary 422  
 geophysics 418–20  
 history 418  
 hydrocarbon quality 421–2  
 location 418  
 reserves 422  
 reservoir character 420–21  
 source rock 421  
 stratigraphy 418  
 trap structure 420
- Clyde field 16  
 data summary 285  
 geophysics 282–3  
 history 279–81  
 hydrocarbon quality 285  
 location 279  
 reserves 285  
 reservoir character 283–5  
 source rock 285  
 stratigraphy 281–2  
 trap structure 283
- Cod field 3
- Cod Sands *see* Sele Formation
- condensate yield *see* data summary *under* *named field*
- continental shelf exploration 2
- Cooke Formation 24–5, 29–30, 65
- Cormorant field 4  
 data summary 81  
 geophysics 75  
 history 73–4  
 hydrocarbon quality 77, 80  
 location 73  
 reserves 80–1  
 reservoir character 77  
 source rock 77  
 stratigraphy 74–5  
 trap structure 75–6
- Cormorant Group  
 Alwyn North 26  
 Beryl 38  
 Brent 65  
 Cormorant 74, 77  
 Don 90  
 Dunlin 95  
 Eider 104  
 Heather 129  
 Murchison 169  
 Ninian 176  
 Northwest Hutton 146  
 Osprey 185  
 Tern 192
- Cousland field 1
- Crawford field 14  
 data summary 293  
 geophysics 288  
 history 287–8  
 hydrocarbon quality 293  
 location 287  
 reserves 293  
 reservoir character 289–93  
 source rock 293  
 stratigraphy 288  
 trap structure 288–9
- Cromer Knoll Group  
 Argyll 221  
 Brent 70  
 Chanter 264  
 Cleeton 411  
 Clyde 282  
 Cormorant 75  
 Duncan 221  
 Dunlin 96  
 Eider 105  
 Esmond 427  
 Forbes 427  
 Gordon 427  
 Heather 130  
 Innes 221  
 Maureen 348  
 Ninian 176  
 Osprey 185  
 Petronella 356  
 Ravenspurn South 472  
 Rough 479  
 Sean 485  
 Tern 193  
 Viking 511
- Cyrus field 16  
 data summary 300  
 geophysics 296  
 history 295–6  
 hydrocarbon quality 299  
 location 295  
 reserves 299  
 reservoir character 297–9  
 source rock 299

- stratigraphy 296  
trap structure 296–7
- Davy field 6
- Deborah gas field 434, 440
- Della gas field 12
- Deveron field  
data summary 87  
geophysics 84–5  
history 83–4  
hydrocarbon quality 86–7  
location 83  
reserves 87  
reservoir character 85–6  
source rock 86  
stratigraphy 84  
trap structure 85
- dew point *see* data summary *under named field*
- diagenesis and cementation  
Leman Sandstone Formation 391–2, 465–6, 495  
Sherwood Sandstone Group 533–9
- dinocyst zones 12
- Don field 13  
data summary 93  
geophysics 90–1  
history 89–90  
hydrocarbon quality 93  
location 89  
reserves 93  
reservoir character 91–3  
source rock 93  
stratigraphy 90  
trap structure 91
- Dowsing Dolomite Formation 426, 443, 461
- Drake Formation 24–5, 29–30, 65, 70
- drilling history 1
- drive mechanism *see* data summary *under named field*
- Dudgeon Saliferous Formation 426, 443, 461
- Duncan field 16  
geophysics 221  
history 219–20  
hydrocarbon quality 224  
location 219  
reserves 224–5  
reservoir character 223  
source rock 223–4  
stratigraphy 220–1  
trap structure 221
- Duncan Sandstone Formation 16, 221, 223
- Dunlin field 4  
data summary 102  
geophysics 96  
history 95  
hydrocarbon quality 101  
location 95  
reserves 101–2  
reservoir character 97–100  
source rock 100–1  
stratigraphy 95–6  
trap structure 97
- Dunlin Group  
Alwyn North 24–5, 26  
Beryl 39  
Brent 65  
Don 90  
Dunlin 95  
Eider 105  
Heather 129  
Murchison 169  
Ninian 176  
Northwest Hutton 146  
Osprey 185  
Tern 193  
Thistle 201
- Dunrobin Bay Formation 247, 248–9  
Dunrobin Group 246, 248–9
- Eakring field 1
- Eider field 13  
data summary 109  
geophysics 105  
history 103–4  
hydrocarbon quality 108  
location 103  
reserves 108–9  
reservoir character 105–8  
source rock 108  
stratigraphy 104–5  
trap structure 105
- Eiriksson Formation 38–9, 65, 169
- Ekofisk field 3
- Ekofisk Formation  
Arbroath 213  
Balmoral 239  
Buchan 254  
Crawford 288  
Forties 303  
Glamis 318  
Maureen 348  
Montrose 213
- Emerald field 13–14  
data summary 116  
geophysics 113  
history 111–12  
hydrocarbon quality 114–15  
location 111  
reserves 115  
reservoir character 113–14  
source rock 114  
stratigraphy 112–13  
trap structure 113
- Emerald Sandstone 112, 113–14
- Erskine field 6
- Eskdale gas field 1
- Esmond gas field  
geophysics 427–8  
history 425–6  
hydrocarbon quality 431  
location 425  
reserves 431  
reservoir character 429–31  
source rock 431  
stratigraphy 426–7  
trap structure 428–9
- Etive Formation 12, 13  
Alwyn North 25  
Brent 65  
Cormorant 77–9  
Deveron 84  
Don 92  
Dunlin 98  
Eider 107  
Heather 133  
Hutton 136–7, 138  
Murchison 169, 172  
Ninian 176, 181  
Northwest Hutton 149  
Osprey 186  
Tern 193, 195  
Thistle 206
- Farsund Formation 16
- Fladen Group 247, 333, 378
- Flounder Formation 239, 254, 318
- Forbes gas field  
geophysics 427–8  
history 425–6  
hydrocarbon quality 431  
location 425  
reserves 431  
reservoir character 429–31  
source rock 431  
stratigraphy 426–7  
trap structure 428–9
- formation volume factor *see* data summary *under named field*
- Formby field 1
- Forth field 6
- Forth Formation 11  
Claymore 271, 275  
Highlander 234  
Petronella 355  
Tartan 378
- Forties field 3, 16  
data summary 307  
geophysics 303  
history 301  
hydrocarbon quality 305  
location 301  
reserves 305–7  
reservoir character 303–4  
source rock 304  
stratigraphy 301–3  
trap structure 303
- Forties Formation 16  
Arbroath 213, 215  
Balmoral 239  
Forties 303–4  
Glamis 318  
Montrose 213, 215
- Franklin field 6
- Frigg field 4, 16  
data summary 126  
geophysics 121–3  
history 117–18  
hydrocarbon quality 125  
location 117  
reserves 125  
reservoir character 123–4  
source rock 124  
stratigraphy 119–21  
trap structure 123
- Frigg Formation 11, 16, 120
- Frobisher field 6
- Fulmar field 16  
data summary 315  
geophysics 311  
history 309–10  
hydrocarbon quality 315–16  
location 309  
reserves 316  
reservoir character 313–15  
source rock 315  
stratigraphy 310–11  
trap structure 311–13
- Fulmar Formation 16  
Clyde 282, 283–4

- Fulmar 311, 313–15  
 Kittiwake 340, 342
- gas column *see* data summary *under* *named field*  
 gas condensate recycling 48  
 gas exploration history 2  
 gas–oil contact *see* data summary *under* *named field*  
 gas/oil ratio *see* data summary *under* *named field*  
 gas storage facilities 477  
 Glamis field 16  
   data summary 322  
   geophysics 319  
   history 317–18  
   hydrocarbon quality 321  
   location 317  
   reserves 321–2  
   reservoir character 320–1  
   source rock 321  
   stratigraphy 318–19  
   trap structure 319–20  
 Glamis Sandstone Formation 318, 320  
 Gordon gas field  
   geophysics 427–8  
   history 425–6  
   hydrocarbon quality 431  
   location 425  
   reserves 431  
   reservoir character 429–31  
   source rock 431  
   stratigraphy 426–7  
   trap structure 428–9  
 gravity values *see* data summary *under* *named field*  
 Groningen gas field 2  
 Gryphon field 6
- Haisborough Group  
 Amethyst 388  
 Barque 396  
 Camelot 403  
 Cleeton 411  
 Clipper 418  
 Esmond 426, 427  
 Forbes 426, 427  
 Gordon 426, 427  
 Leman 452  
 Ravenspurn North and South 461, 471  
 Rough 479  
 Viking 511, 512  
 West Sole 518
- Halibut Bank Formation  
 Argyll 221, 222  
 Claymore 271, 275  
 Duncan 221, 222  
 Highlander 324  
 Innes 221, 222
- Hardstoft field 1  
 Haugesund Formation 16  
 Heather field  
   data summary 134  
   geophysics 130–1  
   history 127–9  
   hydrocarbon quality 133–4  
   location 127  
   reserves 134  
   reservoir character 133  
   source rock 133  
   stratigraphy 129–30  
   trap structure 132–3
- Heather Formation 12, 14  
 Alwyn North 25, 26  
 Beatrice 247  
 Beryl 40  
 Brent 65, 70  
 Don 90  
 Dunlin 96  
 Eider 105  
 Emerald 112  
 Heather 130  
 Kittiwake 340  
 Magnus 153  
 Maureen 348  
 Murchison 169  
 Ninian 176  
 Osprey 185  
 Thistle 201
- Heimdal Formation 112  
 Helmsdale Boulder Beds 15  
 Herring Formation 254  
 Hewett gas field 2  
   data summary 440  
   geophysics 436–7  
   history 435  
   hydrocarbon quality 438  
   location 433–5  
   reserves 438, 441  
   reservoir character 438  
   source rock 438  
   stratigraphy 435–6  
   trap structure 437
- Hewett Sandstone 11, 440  
 Hydra Formation 254  
 Highlander field 15–16  
   data summary 329  
   geophysics 325  
   history 323–4  
   hydrocarbon quality 328  
   location 323  
   reserves 328  
   reservoir character 327  
   source rock 328  
   stratigraphy 324–5  
   trap structure 325–7
- Hod Formation 348  
 Hordaland Group  
 Balmoral 239  
 Buchan 254  
 Cormorant 75  
 Cyrus 296  
 Eider 105  
 Frigg 121  
 Glamis 318  
 Heather 130
- Hot Lens Equivalent 327, 356, 381, 382, 383  
 Hot Shale 26, 325  
 Hugin Formation 14, 348  
 Humber Group 12  
 Alwyn North 25  
 Beatrice 247  
 Beryl 40  
 Brent 65  
 Chanter 266  
 Deveron 85  
 Don 90  
 Dunlin 96  
 Eider 105  
 Heather 130  
 Osprey 185
- Petronella 357  
 Piper 363  
 Tartan 379  
 Tern 193  
 Thistle 201
- Hutton Clay Formation 66, 96  
 Hutton field 13  
   data summary 143  
   geophysics 137–8  
   history 135–6  
   hydrocarbon quality 142  
   location 135  
   reserves 142  
   reservoir character 138–42  
   source rock 142  
   stratigraphy 136–7  
   trap structure 138
- Hutton Sand Formation 66, 96
- I shale 15  
 Indefatigable gas field 2  
   data summary 449  
   geophysics 446–8  
   history 443  
   hydrocarbon quality 449  
   location 443  
   reserves 449  
   reservoir character 448–9  
   source rock 449  
   stratigraphy 443–6  
   trap structure 448
- Innes field 10  
   geophysics 221  
   history 219–20  
   hydrocarbon quality 224  
   location 219  
   reserves 224–5  
   reservoir character 223  
   source rock 223–4  
   stratigraphy 220–1  
   trap structure 221
- Ivanhoe field 15  
   data summary 338  
   geophysics 333–4  
   history 331–2  
   hydrocarbon quality 337  
   location 331  
   reserves 337  
   reservoir character 334–7  
   source rock 337  
   stratigraphy 332–3  
   trap structure 334
- Keuper Sandstone Formation 529, 533  
 Keuper Waterstones Formation 529, 533  
 Kimmeridge Clay Formation 7, 15  
 Alwyn North 25–6, 30  
 Amethyst 388  
 Argyll 221  
 Beatrice 247  
 Beryl 40  
 Brae complex 44, 47, 50, 56, 57  
 Brent 65, 70  
 Chanter 264, 267  
 Claymore 272, 273  
 Clyde 282  
 Crawford 288  
 Don 90  
 Duncan 221  
 Dunlin 96

- Eider 105  
 Emerald 112  
 Forties 301  
 Fulmar 311  
 Glamis 318, 321  
 Heather 130  
 Highlander 324–5, 327  
 Innes 221  
 Ivanhoe 33  
 Kittiwake 340  
 Magnus 153, 155–6  
 Maureen 348  
 Miller 159  
 Osprey 185  
 Petronella 359  
 Rob Roy 333  
 Tartan 379, 381–3  
 Thistle 201  
 Kittiwake field 16  
   data summary 344  
   geophysics 341–2  
   history 339–40  
   hydrocarbon quality 343  
   location 339  
   reserves 344–5  
   reservoir character 342  
   source rock 342–3  
   source rock 342–3  
   stratigraphy 340–1  
   trap structure 342  
 Kupferschiefer Shale  
   Amethyst 388  
   Argyll 221, 222  
   Auk 229  
   Claymore 271  
   Duncan 221, 222  
   Hewett 435  
   Indefatigable 443, 448  
   Innes 221, 222  
   Rough 479  
 Lacq field 2  
 Lady's Walk Shales 249  
 Leine Group 511  
 Leman gas field 2  
   data summary 458  
   geophysics 455  
   history 451–2  
   hydrocarbon quality 457  
   location 451  
   reserves 457  
   reservoir character 455–7  
   source rock 457  
   stratigraphy 452–5  
   trap structure 455  
 Leman Sandstone Formation 10, 11  
   Amethyst 391  
   Barque 398–9  
   Bure 493, 494–5  
   Camelot 403, 405–8  
   Cleeton 411, 412  
   Dotty complex 440  
   Leman 452, 455–7  
   Ravenspurn North and South 460–1,  
     464–5, 471, 473  
   Rough 479  
   Sean 488  
   Thames 493, 494–5  
   V complex 499, 501–2  
   Victor 504, 506–7  
   Viking 511, 514  
   West Sole 520–1  
   Yare 493, 494–5  
 Lewis Formation 38  
 licensing rounds 4  
   1st round (1964) 2  
     Amethyst 387  
     Arbroath 211  
     Barque 395  
     Bure 491  
     Camelot 401  
     Cleeton 409  
     Clipper 418  
     Clyde 279  
     Esmond 425  
     Forbes 425  
     Gordon 425  
     Hewett 435  
     Indefatigable 443  
     Leman 451  
     Montrose 211  
     Ravenspurn North and South 459,  
       470  
     Rough 477  
     Thames 491  
     Viking 509  
     West Sole 517  
     Yare 491  
   2nd round (1969) 2  
     Alwyn North 22  
     Argyll 219  
     Duncan 219  
     Forties 301  
     Frigg 117  
     Innes 219  
     Sean 485  
   3rd round (1970) 3  
     Auk 227  
     Brae complex 43, 49, 56  
     Brent 63  
     Cyrus 295  
     Maureen 347  
     Murchison 165  
   4th round (1972) 3  
     Balmoral 237  
     Beatrice 245  
     Beryl 34  
     Buchan 253  
     Chanter 261  
     Claymore 269  
     Cormorant 73  
     Crawford 287  
     Deveron 83  
     Don 89  
     Dunlin 95  
     Eider 103  
     Emerald 111  
     Glamis 317  
     Heather 127  
     Highlander 323  
     Ivanhoe 331  
     Magnus 153  
     Ninian 175  
     Northwest Hutton 146  
     Osprey 183  
     Petronella 354  
     Piper 361  
     Rob Roy 331  
     Scapa 370  
     Tartan 378  
     Tern 191  
     Thistle 200  
   7th round (1980) 6  
     Balmoral 237  
     Kittiwake 339  
     Miller 159  
     10th round 347  
 Lias Group  
   Cleeton 411  
   Ravenspurn South 471  
   Rough 479  
   V fields 499  
   Viking 511  
 Linnhe Formation 14, 39  
 Lista Formation  
   Balmoral 239, 241  
   Brent 66  
   Dunlin 96  
   Frigg 120  
   Glamis 318  
   Maureen 348  
 Little Dotty gas field 434, 440  
 Magnesian Limestone 388  
 Magnus field 4, 12, 15  
   data summary 157  
   geophysics 154  
   history 153  
   hydrocarbon quality 156  
   location 153  
   reserves 156–7  
   reservoir character 155–6  
   source 156  
   stratigraphy 153  
   trap structure 154  
 Magnus Sandstone 11  
 Mandal Formation 16  
 Marnock field 6  
 Maureen field  
   geophysics 348–9  
   history 347  
   hydrocarbon quality 352  
   location 347  
   reserves 352  
   reservoir character 350–2  
   source rock 352  
   stratigraphy 348  
   trap structure 350  
 Maureen Formation 16  
   Arbroath 213  
   Balmoral 239  
   Cyrus 296  
   Emerald 112  
   Forties 303–4  
   Frigg 120  
   Glamis 318  
   Maureen 348, 350–1  
   Montrose 213  
 Mercia Mudstone Group 529  
 Miller field 6, 11, 15  
   data summary 164  
   geophysics 160  
   history 159  
   hydrocarbon quality 164  
   location 159  
   reserves 164  
   reservoir character 161–2  
   source rock 162, 164  
   stratigraphy 159  
   trap structure 160  
 mineralogy  
   Brent Group 28–9, 133  
   Emerald Sandstone 114  
   Forties Formation 215

- Maureen Formation 351  
 Mo Clay 121  
 Montrose field 3  
   data summary 216  
   geophysics 213–14  
   history 211–12  
   hydrocarbon quality 216  
   location 211  
   reserves 216  
   reservoir character 215  
   source rock 215  
   stratigraphy 212–13  
   trap structure 215  
 Montrose Group 11, 16  
   Arbroath 213  
   Auk 230  
   Balmoral 240  
   Buchan 254  
   Cormorant 75  
   Cyrus 296  
   Dunlin 96  
   Eider 105  
   Heather 130  
   Ivanhoe 333  
   Montrose 213  
   Ninian 177  
   Rob Roy 333  
 Moray Firth Basin 9, 15, 16  
 Moray Group 16, 254, 333  
 Morecambe Basin *see* South Morecambe  
   gas field  
 Murchison field  
   data summary 173  
   geophysics 169–70  
   history 165–6  
   hydrocarbon quality 172–3  
   location 165  
   reserves 173  
   reservoir character 170–2  
   source rock 172  
   stratigraphy 166–9  
   trap structure 170  
 Murdoch field 6
- Nansen Formation 38–9, 65, 129, 169  
 Nelson field 6  
 Ness Formation 12, 13  
   Alwyn North 25, 28  
   Brent 65  
   Cormorant 77–9  
   Deveron 84  
   Don 92  
   Dunlin 97, 98–9  
   Eider 107  
   Frigg 119  
   Heather 133  
   Hutton 136, 142  
   Murchison 169, 172  
   Ninian 176, 181  
   Northwest Hutton 149–50  
   Osprey 188  
   Tern 193, 195  
   Thistle 206  
 net : gross ratio *see* data summary *under*  
   *named field*  
 Nevis Formation 14  
 New Red Group 75  
 Ninian field 4  
   data summary 182  
   geophysics 177–8  
   history 175–6  
   hydrocarbon quality 181  
   location 175  
   reserves 181–2  
   reservoir character 179–81  
   source rock 181  
   stratigraphy 176–7  
   trap structure 178–9  
 Nordland Group  
   Balmoral 239  
   Buchan 254  
   Cormorant 75  
   Cyrus 296  
   Eider 105  
   Glamis 318  
   Heather 130  
 North Brae field 12, 15  
   data summary 47  
   geophysics 45  
   history 43–4  
   hydrocarbon quality 48  
   location 43  
   reserves 48  
   reservoir character 46–7  
   source rock 47  
   stratigraphy 44–5  
   trap structure 45–6  
 North Ravenspurn *see* Ravenspurn North  
 North Valiant gas field  
   data summary 502  
   geophysics 499  
   history 497–8  
   hydrocarbon quality 502  
   location 497  
   reserves 502  
   reservoir character 501–2  
   source rock 502  
   stratigraphy 498–9  
   trap structure 501  
 North Viking *see* Viking  
 Northwest Hutton field  
   data summary 151  
   geophysics 147  
   history 146  
   hydrocarbon quality 150  
   location 145  
   reserves 150–1  
   reservoir character 147–50  
   source rock 150  
   stratigraphy 146–7  
   trap structure 147
- oil column *see* data summary *under* *named*  
   *field*  
 oil gravity *see* data summary *under* *named*  
   *field*  
 oil type *see* data summary *under* *named*  
   *field*  
 oil–water contact *see* data summary *under*  
   *named field*  
 Orcadian Basin 9  
 Ormskirk Sandstone Formation 529  
 Orrin Formation 14  
 Osprey field  
   data summary 188  
   geophysics 185  
   history 183–4  
   hydrocarbon quality 188–9  
   location 183  
   reserves 189  
   reservoir character 186–8  
   source rock 188
- stratigraphy 185  
 trap structure 185–6
- palynology 121, 123, 292  
 Parentis field 2  
 Pentland Formation 247, 250, 348  
 permeability *see* data summary *under*  
   *named field*  
 petrography 28–9  
 Petroleum Revenue Tax (PRT) 4  
 Petronella field 16  
   data summary 360  
   geophysics 354–5  
   hydrocarbon quality 359  
   location 354  
   reserves 359  
   reservoir character 357–9  
   source rock 359  
   stratigraphy 355–6  
   trap structure 357  
 Piper field 4  
   data summary 368  
   geophysics 363–5  
   history 361–3  
   hydrocarbon quality 367  
   location 361  
   reserves 367  
   reservoir character 365–6  
   source rock 366–7  
   stratigraphy 363  
   trap structure 365  
 Piper Formation 11, 15  
   Chanter 264, 266–7  
   Claymore 272, 273  
   Highlander 324, 327  
   Ivanhoe 333, 334–7  
   Petronella 356, 358–9  
   Piper 363, 366  
   Rob Roy 333, 334–7  
   Tartan 379, 381–3  
 Plenus Marl 356  
 porosity *see* data summary *under* *named*  
   *field*  
 pressure measurements *see* data summary  
   *under* *named field*  
 productivity index *see* data summary *under*  
   *named field*
- Rannoch Formation 12, 13  
   Alwyn North 25  
   Brent 65  
   Cormorant 77–9  
   Deveron 84  
   Don 90, 92  
   Dunlin 97–8  
   Eider 107  
   Heather 133  
   Hutton 136, 138  
   Murchison 169, 170, 172  
   Ninian 176, 180  
   Northwest Hutton 149  
   Osprey 186  
   Tern 193  
   Thistle 205  
 Rattray Formation 15, 318, 333  
 Raude Formation 38–9, 65  
 Ravenspurn North gas field 6  
   geophysics 461–4  
   history 459–60  
   hydrocarbon quality 466–7

- location 459  
reserves 467  
reservoir character 464–6  
source rock 466  
stratigraphy 460–1  
trap structure 464
- Ravenspurn South gas field  
data summary 475  
geophysics 472  
history 470–1  
hydrocarbon quality 475  
location 469  
reserves 475  
reservoir character 473–4  
source rock 474–5  
stratigraphy 471–2  
trap structure 472–3
- recovery factor *see* data summary *under* *named field*
- Red Chalk Formation 511
- reservoir rocks  
Carboniferous 3, 9, 271, 327  
Cretaceous 3, 234, 271, 327, 373  
Devonian 3, 9, 223, 257  
Jurassic  
Lower 37, 248  
Middle 28, 37, 69, 77, 85, 91, 97, 105, 113, 133, 138, 147, 170, 179, 186, 204, 289  
Upper 37, 47, 52, 62, 155, 161, 266, 271, 283, 313, 320, 327, 334, 342, 357, 365, 381  
Permian 3, 222, 223, 231, 271, 391, 398, 405, 412, 420, 440, 448, 455, 464, 473, 479, 488, 494, 501, 506, 514, 520  
Precambrian 9  
Tertiary  
Eocene 3, 16–17, 123  
Palaeocene 3, 215, 240, 297, 303, 350  
Triassic 3, 37, 74, 289, 342, 429, 440, 532
- resistivity *see* data summary *under* *named field*
- Rob Roy field 15  
data summary 338  
geophysics 333–4  
history 331–2  
hydrocarbon quality 337  
location 331  
reserves 337  
reservoir character 334–7  
source rock 337  
stratigraphy 332–3  
trap structure 334
- Rodby Formation 254, 325
- Rogaland Group 75, 96, 105, 130, 177
- Rosnaes Clay 121
- Rotliegendes Group  
Arbroath 212  
Argyll 221, 223  
Auk 228, 232–3  
Barque 396, 398–9  
Bure 493, 494  
Camelot 403, 405–8  
Cleeton 411, 412  
Clipper 418, 420–1  
Clyde 282  
Crawford 288  
Duncan 221, 223  
Hewett 435
- Indefatigable 443, 448  
Innes 221, 223  
Leman 452, 455–7  
Montrose 212  
Ravenspurn North and South 460–1, 471  
Rough 479–82  
Sean 485, 488  
Thames 493, 494  
V complex 499, 501–2  
Victor 504, 506–7  
Viking 511, 512, 514  
West Sole 518, 520–1  
Yare 493, 494
- Rough gas storage field  
data summary 483  
geophysics 478  
history 477–8  
hydrocarbon quality 483  
location 477  
reserves 483  
reservoir character 479–83  
source rock 483  
stratigraphy 478  
trap structure 478–9
- St Bees Sandstone Formation 529
- salinity *see* data summary *under* *named field*
- saturation *see* data summary *under* *named field*
- Scapa field  
data summary 376  
geophysics 371  
history 370–1  
hydrocarbon quality 374–5  
location 369  
reserves 375  
reservoir character 373–4  
source rock 374  
stratigraphy 371  
trap structure 371–3
- Scapa Sandstone 11, 373
- Schoonebeck field 1–2
- Scott field 6
- seal rocks  
Chalk Group 234, 311  
Cromer Knoll Group 179  
Flounder Formation 320  
Heather Formation 75, 185, 342  
Hordaland Group 121  
Humber Group 36, 85, 191, 193, 203–4  
Kimmeridge Clay 45, 52, 57, 159, 179, 185, 256, 265, 283, 327, 334, 342, 357, 365, 381  
Lista Formation 239, 348, 350  
Mercia Mudstone Group 529  
Rot Claystone 429  
Sele Formation 215, 297, 303  
Shetland Group 154, 179  
Silverpit Formation 464, 472, 520  
Smith Bank Formation 273  
Valhall Formation 256, 273, 325, 327  
Zechstein evaporites 397, 403, 443, 452, 457, 464, 472, 478, 493, 494, 495, 499, 504, 511, 514, 520
- Sean North and South gas fields  
data summary 489  
geophysics 486  
history 485  
hydrocarbon quality 489
- location 485  
reserves 489  
reservoir character 488  
source rock 488–9  
stratigraphy 485–6  
trap structure 486–8
- Sele Formation  
Arbroath 213, 215  
Auk 230  
Balmoral 239  
Cyrus 296  
Emerald 112  
Forties 303  
Frigg 120  
Glamis 318  
Maureen 348  
Montrose 213, 215
- Sgiath Formation 15  
Chanter 264  
Claymore 272, 273  
Petronella 358–9  
Piper 363, 365–6  
Tartan 379
- Sherwood Sandstone Group 527, 529, 532–3
- Shetland Clay Formation 66, 96  
Shetland Group 75, 96, 105, 130  
Shetland Marl Formation 66, 96  
Shetland Platform 104–5
- Silverpit Formation  
Cleeton 411  
Ravenspurn North and South 460–1, 471  
Viking 511  
Silverpit Lake 465, 466, 499, 505, 514
- Skagerrak Formation  
Claymore 272  
Crawford 289–91  
Kittiwake 340, 342
- slant drilling 528
- Sleipner Formation 291–3
- Slochteren field 2
- Smith Bank Formation  
Argyll 221  
Auk 229  
Beatrice 246  
Claymore 272  
Duncan 221  
Fulmar 311  
Highlander 324  
Innes 221  
Kittiwake 340  
Maureen 348  
Petronella 335
- Sola Formation 325
- source rocks  
gas *Coal Measures for all named fields*  
oil  
Brae Formation 61  
Devonian age rocks 9, 250  
Dunlin Group 119, 124  
Dunrobin Bay Formation 250  
*Kimmeridge Clay Formation for all other named fields*
- South Brae field 15  
data summary 62  
geophysics 57  
history 56  
hydrocarbon quality 62  
location 55  
reserves 62  
reservoir character 57–61

- source rock 61  
 stratigraphy 56–7  
 trap structure 57  
 South Morecambe gas field  
   data summary 540  
   geophysics 529–30  
   history 527–9  
   hydrocarbon quality 539  
   location 527  
   reserves 540  
   reservoir character 531–9  
   source rock 539  
   stratigraphy 529  
   trap structure 530–1  
 South Ravenspurn *see* Ravenspurn South  
 South Valiant gas field  
   data summary 502  
   geophysics 499  
   history 497–8  
   hydrocarbon quality 502  
   location 497  
   reserves 502  
   reservoir character 501–2  
   source rock 502  
   stratigraphy 498–9  
   trap structure 501  
 South Viking gas field 2  
   *see also* Viking  
 Statfjord Group 11  
   Alwyn North 24, 26, 29–30  
   Beryl 38–9  
   Brent 65, 67–9  
   Don 90  
   Dunlin 95  
   Eider 105  
   Heather 129  
   Murchison 169  
   Ninian 176  
   Northwest Hutton 146  
   Osprey 185  
   Tern 193  
   Thistle 201  
 Stinkschiefer 222  
  
 Tarbert Formation 12, 13  
   Alwyn North 25, 26, 28  
   Brent 65  
   Cormorant 77–9  
   Crawford 291–3  
   Deveron 84  
   Don 92  
   Dunlin 99  
   Eider 108  
   Emerald 112  
   Frigg 119  
   Heather 133  
   Hutton 136, 142  
   Murchison 169, 172  
   Ninian 176, 181  
   Northwest Hutton 150  
   Osprey 185, 188  
   Tern 193, 195  
   Thistle 206  
 Tartan field 15  
   data summary 383  
   geophysics 381  
   history 378  
   hydrocarbon quality 383  
   location 377  
   reserves 384  
   reservoir character 381–3  
  
   source rock 383  
   stratigraphy 378–80  
   trap structure 381  
 tectonostratigraphic framework 9  
 temperature measurements *see* data  
   summary *under named field*  
 tension leg platform (TLP) 136  
 Tern field 13  
   data summary 197  
   geophysics 193  
   history 191–2  
   hydrocarbon quality 197  
   location 191  
   reserves 197  
   reservoir character 193–5  
   source rock 195  
   stratigraphy 192–3  
   trap structure 193  
 Thames gas field  
   data summary 496  
   geophysics 493–4  
   history 491–2  
   hydrocarbon quality 495  
   location 491  
   reserves 495  
   reservoir character 494–5  
   source rock 495  
   stratigraphy 493  
   trap structure 494  
 Thistle field 4, 12  
   data summary 207  
   geophysics 202–3  
   history 200–1  
   hydrocarbon quality 206  
   location 199  
   reserves 206  
   reservoir character 204–6  
   source rock 206  
   stratigraphy 201–2  
   trap structure 203–4  
 Tor Formation 239, 254, 318, 348  
 trap types  
   combined structures 51, 57, 67, 75,  
     154, 160, 239, 273, 325, 372, 391,  
     397, 464, 499, 506, 512, 530  
   domal anticline 45, 215, 221, 303, 311,  
     342, 350, 412, 420, 428, 437, 448,  
     455, 472, 478, 486, 494, 519  
   lateral facies change 123  
   tilted fault block 27, 36, 65, 91, 97,  
     105, 113, 132, 138, 147, 170, 178,  
     185, 193, 203, 221, 222, 234, 248,  
     255, 265, 283, 288, 296, 319, 334,  
     357, 365, 381, 405  
 Triton Anhydrite Formation 426, 443,  
   461  
 Turbot Bank Formation 221, 222  
  
 Ula Formation 16  
 Uppat Formation 14  
 Utsira Formation 348  
  
 V gas fields *see* North Valiant; South  
   Valiant; Vanguard; Vulcan  
 Valhall field 3  
 Valhall Formation  
   Balmoral 238  
   Buchan 254  
   Claymore 272, 275  
   Glamis 318  
  
   Highlander 327  
 Vanguard gas field  
   data summary 502  
   geophysics 499  
   history 497–8  
   hydrocarbon quality 502  
   location 497  
   reserves 502  
   reservoir character 501–2  
   source rock 502  
   stratigraphy 498–9  
   trap structure 501  
 Variscan orogeny 9  
 Victor gas field  
   data summary 508  
   geophysics 505–6  
   history 503–4  
   hydrocarbon quality 508  
   location 503  
   reserves 508  
   reservoir character 506–7  
   source rock 507  
   stratigraphy 504–5  
   trap structure 506  
 Viking Graben 15  
 Viking gas field  
   data summary 514  
   geophysics 512  
   history 510–11  
   hydrocarbon quality 514  
   location 509–10  
   reserves 514–15  
   reservoir character 514  
   source rock 514  
   stratigraphy 511–12  
   trap structure 512–14  
 Vipers Tongue 371  
 Vulcan gas field  
   data summary 502  
   geophysics 499  
   history 497–8  
   hydrocarbon quality 502  
   location 497  
   reserves 502  
   reservoir character 501–2  
   source rock 502  
   stratigraphy 498–9  
   trap structure 501  
  
 Wensum gas field 491  
 West Brae 55  
 West Sole gas field 2  
   data summary 523  
   geophysics 518–19  
   history 517–18  
   hydrocarbon quality 521–2  
   location 517  
   reserves 522  
   reservoir character 520–1  
   source rock 521  
   stratigraphy 518  
   trap structure 519–20  
 West Sole Group  
   Cleaton 411  
   Ravenspurn North and South 461, 471  
   Rough 479  
   West Sole 518  
 Winterton Formation  
   Amethyst 388  
   Barque 396  
   Camelot 403

- Esmond 426
  - Forbes 426
  - Gordon 426
  - Indefatigable 443
  - Ravenspurn North 461
  - Viking 511, 512
- Yare gas field
- data summary 496
  - geophysics 493–4
  - history 491–2
  - hydrocarbon quality 495
  - location 491
  - reserves 495
  - reservoir character 494–5
  - source rock 495
- stratigraphy 493
- trap structure 494
- Zechstein Group
- Amethyst 388
  - Arbroath 212
  - Argyll 222
  - Auk 229, 233–4
  - Bure 493
  - Camelot 403
  - Claymore 271, 275
  - Cleeton 411
  - Clipper 418
  - Clyde 282
  - Crawford 288
  - Duncan 222
- Hewett 435
- Highlander 324
- Indefatigable 443
- Innes 222
- Leman 452
- Montrose 212
- Ravenspurn North and South 461, 471
- Rough 479
- Sean 485
- Thames 493
- V complex 499
- Victor 504
- Viking 511, 512
- West Sole 518
- Yare 493