

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- accretionary lapilli 81–82, 86, **95**, 103–105, 107, **108**, 108, 146
- airgun units 257, 257, 258, 262–263, 266
- air pollution 409
- air-quality guidelines 427–428, **428**, 437
- Allweather Volcano Topography Imaging Sensor *see* AVTIS
- amphibole 17–18, **319**, 344, 361
- and andesite bulk-rock variation 323, 336, 337, **337**
- and andesite disequilibrium features 333
- and magma mixing 354, 356
- and magma temperature estimates 322
- pre-eruptive volatiles study 306, 307, **309**
- in pumice samples 363–365, 364, 365, 366, 370
- textures and composition 320, **320**, **322**, **323**, 324–325, 326, 345, 347, **347**, 348, 348, 349, **350**, 352
- andesite 292–293, 344
- bulk-rock composition 326–328, **331**, 332–335
- causes of bulk-rock variation 335–338, **337**
- disequilibrium features 333–334
- glass 325–326, **329**, 330
- log  $f_{O_2}$  estimates 329, **329**
- magma mixing and reheating models 17, 322–323, 335–338, 352–357, 355, 357, 361, 362, 368–374, 371, 446
- minerals 319–322, **319**, **320**, 321, **322**, **323**, 324–325, **324**, 324, 326, **327**, 327, 328–329, **328**
- phenocryst–groundmass relationship 331–333
- pressure estimates 329, **336**
- samples and analytical methods 318, **319**, 344–346, **344**, 345
- temperature estimates 322, 328–329, **336**, 361, 366–368, 368, 374
- textures 296, 299, **303**, 303, 318–319, 323–324, 324
- see also* mafic enclaves
- Andrews, University of St 229
- aquifers 25, 244, 248–249, 250
- Arenal, Costa Rica 306
- ash-cloud surge detachment 179–192
- flow velocities **188**, 189, 190, **190**, 192
- previous work 180–183
- pyroclastic flow and ash-cloud surge deposits 183–185, 185–188
- valley morphology **181**, 181, 182, 183–185, 186, 187, 188–189, 190–191, 191
- ash deposits
- ash-cloud surge deposits 183–185, 185–188
- cristobalite abundance 399–405, **400–401**, 403, **404**, 404
- from partial dome collapse 136–139, 139–144, **140**, 145, 149
- see also* block-and-ash flows; tephra
- ashfalls 9
- hazard assessments **442**, 445, 482–483, 483
- map 415
- monitoring 414
- see also* ash deposits; respiratory health risks; tephra
- ash venting 71–91
- compared with explosions 73–75, 74, 75, 78
- cristobalite abundance in deposits 402, 404, **404**
- location map 72
- in precursory periods **73**, 74, 75–80, 75, **76**, **77**, 78–82, 87–90
- sub-daily cycles 42, 44, 45, 81, 94
- syn-extrusive 75, 78, 81, **83**, 83, 84
- syn-extrusive mechanisms 90–91, 90
- tephra fallout mass 84–87, 89, **90**, 91
- tephra grain-size and lithology 81–84, 85–89, 88, 90–91
- tephra plume heights 74, **76**, 81, **83**
- and Vulcanian explosions 96, 97
- ASTER (Advanced Spaceborne Thermal Emission and Reflection Radiometer) 14, 30, 139, 149
- asthma 409, 414, 422
- atmospheric internal waves 153–166
- analysis of volcanic forcing 157–160, **158**, 158, **159**
- barograph records 153, 154, 163, 163
- governing equations and volcanic forcing 154–156, **155**, 156
- observed volcanic forcing 160–165, 161–164
- AVTIS (Allweather Volcano Topography Imaging Sensor) 21, 229–239, 238
- field campaigns 233–235, **233**, 233
- instruments 230–233, 230, **231**, 231
- locations 232, 233
- results 234–238, 236–239
- Aymer's Ghaut 94, 99, 101, 124, **124**
- ballistics 15, **28**, **95**, 98, 104, 385, 392
- barograph records 153, 154, 163, 163
- barometric monitoring 203
- basalt
- magma mixing and reheating models 17, 322–323, 335–338, 352–357, 355, 357, 361, 362, 368–374, 371, 446
- supplying of volatiles 292, 306–308, 308, 309
- see also* mafic enclaves
- basaltic scoria deposits 385, 388, 392, 393, 395
- bathymetric data 29, 254, 493
- Belham River Valley
- aggradation rate 13
- and ash-cloud surge detachment **181**, 181, **182**, 183, 184, 185, **188**, **190**, 191, 191
- ash monitoring 414
- evacuations 459, **474**
- hazard assessments 442, 443–444, 444, 445, 448–449, 453, 455, 482
- land-based seismographs 261
- location maps 94, 134, 180
- and partial dome collapse 135, 139, **140**, 145, 149
- pyroclastic density currents 11, 13, 98, 99
- valley filling 122, 125, 128, 129, 129, 130
- Belham Valley Fault 2, 32, 242, 249, 249, 250, 275, 276, 277, 277
- BGS *see* British Geological Survey (BGS)
- block-and-ash flows 12, 102, 103, 106, 109, 116, 133
- and ash-cloud surge detachment 180, 181, 182–187, 183–186, 189, 190–191, 191
- from partial dome collapse 139–144, 140–145, **140**, 145, 149, 150
- Bolt 'Long Life' airgun units 257, 257, 258, 262–263, 266
- borehole tiltmeters 202, **202**
- see also* tiltmeter monitoring
- Bouillante–Montserrat Fault System 2, 2, 29, 32, 275, 276, 277, 277
- Bouillante–Montserrat Graben 385, 386
- Brades 476, 478, **478**
- breadcrust bombs 385, 388, 392
- breccia deposits 139–144, **140**, 145, 145, 149
- Brier Skill Scores (BSS) 449–451, 449–451, **450**
- Bristol, University of 413
- British Geological Survey (BGS) 19, 318, **319**, 411, 440, 458, 465
- Brown University, USA **319**, 363
- Bugby Hole
- location map 134
- and partial dome collapse 137, 139, 139, **140**, 142, 146, 148, 149
- vegetation damage 147, 147
- building damage 13, 148, 148
- Burris Basic Gravity Meter 242–243, 242
- Cadillac Mountain Granite 356
- CALIPSO (Caribbean Andesite Lava Island Precision Seismo-geodetic Observatory) 20, 21–22, 24, 153, 154, 202, 203
- Calman, Sir Kenneth 413
- Cambridge, University of 296, 318, 345
- carbon dioxide
- health risks 445–446
- pre-eruptive volatiles study 28, 293, 294–295, 296–297, 297, **298**, 299–304, 304, **305**, 307

- carcinogens 408  
 Carnegie Institution, USA 294, 295, 297, **298**
- C-band radar interferometry 204, 215
- Centers for Disease Control and Prevention (CDC), USA 408
- Centre Hills 25, 383  
 gravity anomalies 246, 249, 250  
 land-based seismographs 259, 260, 261, 262  
 and partial dome collapse 148  
 reflection profile 276  
 seismic velocities 271  
 vegetation damage 420
- Centre Hills Fault 249, 250
- cGPS (continuously operating GPS)  
*see* GPS
- Chances Peak 72, 98, 116, 121, 122, 134, 201–202, **202**, 237
- Chaos Craggs 354
- chaotic dynamic behaviour 41
- Chief Medical Officer (CMO), UK 413, 417, 420
- Chief Medical Officer's Risk Scale 452, 461
- Chief Scientist, UK 413
- child health studies 413–414, 422–423
- chlorine 293, 297–298, 297, **298**
- chronic obstructive pulmonary disease (COPD) 408, 409
- chronological summary of eruption 3–12, **5**
- clinopyroxene 292, **319**, 344  
 and andesite bulk-rock variation **337**  
 and andesite disequilibrium features 333, 334  
 and magma mixing 356  
 and magma temperature estimates 322, 329  
 in pumice samples 324, 363, 364  
 textures and composition 320, **320**, 325, **327**, 327, 347, 348, 348, 349, **350**
- CMO *see* Chief Medical Officer (CMO), UK
- COCONet project 215
- Colima, Mexico 108
- collapse events *see* dome collapse events; multi-stage collapse events; partial dome collapse (Feb 2010)
- communications *see* hazard and risk assessments
- conduit models 32–33, 32, 61  
 elastic-walled dyke model 31, 32, 52, 57, 61  
 near-surface magma conduits 206–208, 208  
 plug formation and ejection 45–46, 57, 195  
 shallow conduit–dyke models 208–209, 208  
*see also* dual-chamber-conduit models
- continuously operating GPS data (cGPS)  
*see* GPS
- Continuous Wavelet Transform (CWT) 43, 44, 48–50, 50
- COPD *see* chronic obstructive pulmonary disease (COPD)
- Cork Hill 411, 411, 412, 414, 416, 419, **420**, 421, 422
- COSPEC (correlation spectrometer) monitoring 20, 427, 428, 435
- cristobalite 88, 90  
 abundance 399–405, **400–401**, 403, **404**, 404  
 health risks 408, 409, 414, 416, 423, 445  
 risk assessments 411–413, 417–420, 418, **420**, 421
- cyclic phenomena 31–32, 41–57  
 defined 41  
 multi-annual cycles 31–32, 52–53, 53, **54**, 55, 67, 67, 68, 208, 209  
 multi-decadal cycles 53–57, **55**, 56  
 sub-annual cycles 31, 46–52, **49**, 50, 51, 52  
 sub-daily cycles 31, 42–46, 43–45, **47–48**, 48, 81, 94, 97, 98, 208
- Day-Time Entry Zone (DTEZ) 27, 443, 453, 454, 461
- debris-avalanche deposits *see* multi-stage collapse events
- decompression crystallization 365, 371, 371, 373
- deep magma storage 208, 209–210  
*see also* dual-chamber-conduit models
- deflationary episodes 55, 57, 204, 204, 209, 220, 245, 249, 250
- deformation 15, 23, 204–205  
 cyclicity 31, 51, 52, 52, 53, 208  
 end of eruption signal 446, **446**  
 in precursory periods 76–77  
 in seismic crises 55, 56  
*see also* geodetic monitoring
- degassing *see* gas emissions
- DEMs *see* digital elevation models (DEMs)
- Department for International Development (DFID), UK 443, 458, 479, 480
- Department of Ordnance Survey (DOS), UK 196, 493
- differential optical absorption spectroscopy (DOAS) monitoring 20, 297, **305**, 427, 428–429, 431, 435, 435, 436
- diffusion tube sulphur dioxide monitoring 20, 28–29, 427, 428–437, 429, **430**, **431**, 432–436
- digital elevation models (DEMs) **180**, 183, 184–185, 184, 187, 443–444, 491, 493
- Disaster Management Coordination Agency (DMCA) 479, 483
- DOAS *see* differential optical absorption spectroscopy (DOAS) monitoring
- dome collapse events **7**, **7**, **8**, **10**, **13**, 29, 116, 124  
 ashfall grain size 82, 84, 87  
 cristobalite abundance in deposits 402, 403–404, 403, **404**, 404  
 effects on sub-daily cycles 46  
 hazard assessments 442–444, **442**, 447–448, **448**, 449  
 health risks of May 2006 event 420–422  
 sub-annual cycles 46–48, **49**  
 and Vulcanian explosions 93, 99  
*see also* ash-cloud surge detachment; block-and-ash flows; multi-stage collapse events; partial dome collapse (Feb 2010); respiratory health risks
- dome growth **9**, **15**, 113, **114**, **115–116**, 116–124, **117–123**, **119**, **122**, 133  
 influence of pre-existing dome 127  
 lobe morphology 122, 123, 127–128  
*see also* AVTIS
- dome residence time (DRT) 402, 403, 404
- DTEZ *see* Day-Time Entry Zone (DTEZ)
- dual-chamber-conduit models 32–33, 32, 61–68, 195  
 coupling of two reservoirs 63–65, 64, 65, 66  
 far-field stress effects 63, 63  
 and geodetic monitoring 208, 209–210  
 magma migration imaging 219–226, 220, 222–225  
 magma transfer between multiple reservoirs and dykes 62–63, 62, 68  
 and multi-annual cycles 67, 67, 68  
 parameter sensitivity of 210–214, **211**, **213**, 215  
 period of discharge rate variations 65–67, 66
- Durham University 257
- dyke deflation cycles 57
- earthquakes *see* seismicity
- East Anglia, University of 318, **319**, 345
- EDM *see* Electronic Distance Meter (EDM) monitoring
- elastic-walled dyke model 31, 32, 52, 57, 61  
*see also* dual-chamber-conduit models; shallow conduit–dyke models
- El Chichon Volcano, Mexico 145, 182
- Electronic Distance Meter (EDM) monitoring 20, 42, 197, 198, 200, 201, **202**, 205, 207, 481
- ellipsoidal reservoir models 195, 210–213, **211**, **213**, 214, 225–226, 225
- ellipsoids 489, 490–491, **490**, 490, 491
- emigration 458, 471, 478–479, 480
- enclaves *see* mafic enclaves
- English's Crater  
 and dome growth 9, 116, 117, 121, 122, 133, 150  
 Gages vent 10, 106  
 location maps 72, 94, 134  
 and partial dome collapse 149  
 topography 236, 237
- Environmental Scientifics Group (ESG) 429–430
- essential services 471–486, **476**, 477  
 adaptations 482–483  
 assessing resilience 480–484  
 development projects 479–480, **479**  
 effects of emigration 478–479  
 effects of volcanic activity 474–480, **474**  
 relocations 476–478, 477, **478**
- Etna, Sicily 427, 428
- evacuations 122, 410, 411, 453, 454, 459, 473, **474**  
 advice on 170  
 attitudes towards 466, **466**, 467  
 controversial 461, **463**, 464–465  
 Harris and Streatham 411  
 litigation 464–465  
 Plymouth 410, 411, 458, 476  
 Salem 414, 460, 473, 484
- excess sulphur problem 292, 293
- Exclusion Zones 27, 257, 413, 415, 416, 442, 443, 453, 454, 461, 471, 473, **474**, 484
- expendable bathythermograph (XBT) probes 259, 262
- Expert Panel on Air Quality Standards (EPAQS), UK 412

- explosions 25–26, **28**  
 compared with ash venting 73–75, 74, 75  
 hazard assessments **442**, 445  
 in precursory periods **73**, **76**, 77–80, 78, 87–90  
 tephra fallout mass 84–87, 89, **90**  
 tephra grain-size and lithology 81–84, 85–88, **88**  
 tephra plume heights 74, **76**  
*see also* phreatic explosions; Vulcanian explosions
- Eyjafjallajökull Volcano, Iceland 423
- Farm 134, 139, 139, **140**, 144, 146, 150
- Farm River Valley  
 location map 134  
 and partial dome collapse 13, 137, 139, 139, **140**, 142, 145, 146, 149–150  
 vegetation damage 147, 147
- Farrell's Plain 98, 117, 122  
 hazard assessments 443  
 location map 134  
 and partial dome collapse 135, 136, 139, **140**, 145, 148, 149  
 vegetation damage 147, 150
- Fast Fourier Transform (FFT) analysis 42
- ferrohastingsitic amphibole 361, 363, 364, 366
- Fe–Ti oxides **319**, 344, 362  
 and andesite bulk-rock variation **337**  
 and magma temperature estimates 361  
 in pumice samples 324, 363, 364, 366, 367, 368, 368  
 textures and composition **320**, 321–322, 325, **328**, 347, 348, **350**  
 50 day cycles 31, 46–52, **49**, 50, 51, 52
- fine-grained deposits  
 ash-cloud surge deposits 183–185, 185–188  
 from partial dome collapse 136–139, 139–144, **140**, 145, 149  
*see also* tephra
- fluorine 297, 298, **298**
- Fogarty 419, **420**, 421
- Foreign and Commonwealth Office (FCO), UK 439, 458
- Fourier Transform Infrared Spectrometer (FTIR) 45, 295, 428
- Fox's Bay 411, 416, 420, 422
- free-air effects 245
- Frith 411, 414, 417
- fumarolic activity 54, 55, **55**, 56
- Gages Fan 96, 97, 98, 117, 121, 124, **124**, 125, 128
- Gages Mountain 72, 96, 98, 125, 237, 436
- Gages soufrière 54, 55
- Gages vent 11, 13, 72, 77, 94, 106
- Galway's soufrière 54, 55
- Garibaldi Hills 276–277, 422, 436
- gas emissions 14–15, 23  
 cyclicity 45, 45, 52, 53  
 hazard assessments 445–446  
 health risks 409, 410, 420–422, 427–428, **428**, 437, 445–446  
 hydrogen chloride:sulphur dioxide ratio 14–15, 28, 45, 45, 293, 420  
 monitoring 28–29, 293  
 persistent degassing 14, 338
- pre-eruptive volatiles study 28, 293, 294–295, 296–297, 297, **298**, 299–304, 304, **305**, 306  
*see also* sulphur dioxide (SO<sub>2</sub>)
- geodetic monitoring 20–21, 42, 195–215  
 Electronic Distance Meter (EDM) 20, 42, 197, 198, 200, 201, **202**, 205, 207, 481  
 GPS data processing 200–201  
 GPS monitoring sites 196–200, 197, **198–199**, 198, 200, 215  
 ground tilt 41–42, 197, 198, 201–202, **202**, 208, 209, 215  
 magma migration imaging 219–226, 220, 222–225  
 magmatic system models 205–210, 208  
 observations 204–205, 204–207  
 parameter sensitivity of models 210–214, **211**, 212, **213**, 214, 215  
 remote sensing 203–204, 215  
 strain 21, 153, 197, 198, 202–203, **203**, 208, 209, 210  
*see also* gravimetric monitoring
- geoids 489, 491, 492
- GeoPro 254, 257, 263
- Gingoes Ghaut 117, 117, 119, 124, **124**, 125, 128
- glass  
 in mafic enclaves 325–326, **329**, 330, 347, 348, 349, **350**, 351, 352, 354, 356  
 in pumice samples 363, 364
- glass melt inclusions  
 and magma storage region processes 364, 365, 368, 369, 370–374, **370**, 371, **372–373**, 373, 374–380, 375–379  
 pre-eruptive volatiles study 294–296, **294**, 295, 297–298, 297, **298**, 299–304  
 textures 299, **303**, 303
- GPS (global positioning system) 19–20, 22  
 correction of gravity data 245  
 data processing 200–201  
 magma migration imaging 222–224, 222, 223  
 mapping 493  
 monitoring sites 196–200, 197, **198–199**, 198, 200, 215  
 observations 204–205, 204–207, 206–207, 210
- Gradko Environmental 429–430
- gravimetric monitoring 20–21, 241–250  
 anomaly source models 246–250, **248**, 248  
 challenges 241–242  
 continuous observations 242–244, 242, **243**, 244  
 influence of mass redistribution 245–246, 246  
 monitoring sites 197, 198, 203, **203**, 242–243, 242  
 shallow conduit–dyke models 209  
 time-lapse observations 245–250, 246–249, **247**, **248**  
 of Vulcanian explosions 243–244, 244
- ground deformation *see* deformation;  
 geodetic monitoring
- ground tilt monitoring 41–42, 197, 198, 201–202, **202**, 208, 209, 215
- groundwater 25, 244, 248–249, 250
- Guadeloupe 460
- Happy Hill 414, 417, 443, 444, 444, 449, 453
- Harris  
 building damage 13, 148, 148  
 evacuations 411  
 location map 134  
 and partial dome collapse 29, 136, 139, 139, **140**, 143, 145, 149, 150  
 vegetation damage 147–148, 147, 150
- Harris Lookout seismic station 135, **137**, 149
- Hawaii 428
- hazard and risk assessments 22–24, 439–455, 457–468  
 ashfalls **442**, 445, 482–483, 483  
 audiences for reports 462–465, **465**  
 context 458, 459  
 dome collapse events 442–444, **442**, 447–448, **448**, 449  
 end of eruption assessments 446, **446**  
 essential services 480–484  
 explosions **442**, 445  
 forecasting skill 449–451, 449–451, **450**  
 gas emissions 445–446  
 government responses 453, 454  
 hazard scenarios 446–447  
 hydrovolcanic explosions 445  
 information sources 439, 464  
 lateral blasts 30, **442**, 444, 445, 447  
 lava extrusion 447–448, **448**, **449**  
 mudflows 445  
 next significant events 447–449, 447, **448**, **449**  
 Plinian eruptions **442**, 445  
 pyroclastic density currents (PDCs) 30, 442–445, **442**, 444, 453, 455  
 report formats 465–466  
 respiratory health 399, 411–413, 417–420, 418, **420**, 421  
 risk levels 452–453, 452, 453, 455, 465  
 risks of forecasting 467–468  
 social value of forecasts 451–452, 451  
 tephra **442**, 445  
 timing of reports 440–442, **441**, 453–454, 454, 460–461, **463**  
 tsunamis 445  
 use by laypeople 466–467, **466**, **467**
- Hazard Level System 23–24, 27, 443, 444, 453, 454, 473, **474**
- Health and Safety Executive (HSE), UK 418
- health risks  
 cristobalite 408, 409, 414, 416, 423, 445  
 gas emissions 409, 410, 420–422, 427–428, **428**, 437, 445–446  
 Mount St Helens 399, 408–410  
*see also* respiratory health risks
- Heimaey, Iceland 472
- hornblende 17, 292, 324, 329, 344
- Hussy Ghaut 122, 125, 125
- hybrid earthquakes *see* seismicity
- hydrogen chloride (HCl) 293  
 in gas plumes 410  
 health risks 410, 420–422, 445  
 hydrogen chloride:sulphur dioxide ratio 14–15, 28, 45, 45, 293, 420
- hydrogen sulphide (H<sub>2</sub>S) 293, 296–297, 299, 304, **305**, 306
- hydrovolcanic explosions 445

- Iceland 423, 472  
 ilmenite 292  
   and magma temperature estimates 361  
   in pumice samples 363, 366, 368, 368  
   textures and composition 322, 325,  
     **328**, 347  
 Imperial College, London 257  
 individual risk per annum (IRPA) 452–453,  
 452, 453, 455, 465  
 inflationary episodes 55, 57, 204, 204, 209,  
 220, 245, 249, 250  
 infrasound monitoring 20  
   array position 170, 170  
   pyroclastic density currents 171–173, 173,  
     176–177  
   Vulcanian explosions 173–177, 174, 175  
 InSAR *see* Interferometric Synthetic Aperture  
 Radar (InSAR)  
 Institut de Physique du Globe du Paris (IPGP)  
 19, 458  
 Institute of Occupational Medicine (IOM),  
 UK 411, 412, 414, 417, 418  
 Interferometric Synthetic Aperture Radar  
 (InSAR) 203–204, 207, 215, 238  
 internal attenuation standard (IAS)  
   technique 402  
 IOM *see* Institute of Occupational Medicine  
 (IOM), UK  
 IPGP *see* Institut de Physique du Globe du  
 Paris (IPGP)  
 Irazu, Costa Rica 423  
 IRIS (Incorporated Research Institutions for  
 Seismology) 254, 258  
 island-flank collapse events *see* multi-stage  
 collapse events  
 Isles Bay 414, 416, 453  
  
*James Clark Ross*, RRS 254, 384  
*James Cook*, RRS 24, 254, 258, 262–263,  
 264–266  
  
 Kameni 354  
 Kau district, Hawaii 428  
 Kinsale 99  
  
 lahar containment structures (Sabo dams)  
   182, 183  
 lahars 13, 146  
 Lamington Volcano, Papua New Guinea  
   150, 460  
 Lamont-Doherty Oceanographic  
 Institution 259  
 Lancaster, University of 229  
 land-based seismographs 256, 258–262,  
 259–263, 267, 269, 271, 272, 276,  
 282–284  
 lapilli, accretionary 81–82, 86, **95**, 103–105,  
 107, **108**, 108, 146  
 lateral blasts **28**, 29, 150, 460  
   hazard assessments 30, **442**, 444,  
     445, 447  
 lava domes  
   changing elevation 6  
   volumes removed by Vulcanian explosions  
     106–108  
   *see also* dome collapse events; dome  
     growth  
 lava extrusion  
   AVTIS data 236, 237, 239  
   cristobalite abundance and extrusion rates  
     403–404  
   hazard assessments 447–448, **448**, **449**  
   multi-annual cycles 52–53, 53, **54**, 55  
   Phase 5 chronology 113–116, **115–116**  
   rates 13–14, 89, 117–118, **119**, 133, 236,  
     237, 239  
   sub-daily flux cycles 45–46, 48  
   volume capacitor mechanism 48,  
     51–52, 57  
   volumes 13, 16–22, 23, 48, **49**, 53, 55,  
     **119**, 133  
   volumetric flux monitoring 42  
   *see also* precursory activity  
 L-band radar interferometry 204, 215  
 Lee's Yard 97, 422  
 Leicester, University of 318, **319**  
 LiDAR (Light Detection And Ranging)  
   survey 20, 128, **180**, 236, 443, 493  
 litigation, over evacuations 464–465  
 log  $fO_2$  estimates 329, **329**  
 long-period (LP) earthquakes *see* seismicity  
 Lower Dacite 385, 386, 387, 390  
 low-velocity volume (LVV) 269, 271, 280  
 lung cancer 408  
  
 mafic enclaves 17, 292–293, 343–358  
   abundances 346, **346**  
   bulk-rock composition 326–328, **331**,  
     332–335  
   classification 346  
   geochemistry 349–351, **353**, 354  
   glass 325–326, **329**, 330, 347, 348, 349,  
     **350**, 351, 352, 354, 356  
   implications for magma mixing  
     335–336, 337–338, **337**, 352–357,  
     355, 357  
   log  $fO_2$  estimates 329, **329**  
   minerals 319–322, **319**, **320**, 321, **323**,  
     324–325, **324**, 325, 326, **327**, 327,  
     328–329, **328**, 346–349, **347**, 348,  
     349, **350**, 352  
   pre-eruptive volatiles study 294, **294**, 295,  
     296, 298–299, 302, **303**, 303  
   pressure estimates 329, **336**  
   in pumice 324, 349  
   samples and analytical methods 318, **319**,  
     344–346, **344**, 345  
   sizes 345, 346  
   temperature estimates 328–329, **336**  
   textures 295, 296, 298–299, 302, **303**, 303,  
     319, 324, 325, 345, 346–349, 346,  
     **347**, 348, 349, 352  
 magma  
   mixing and reheating models 17, 322–323,  
     335–338, 352–357, 355, 357, 361,  
     362, 368–374, 371, 446  
   temperature estimates 322, 328–329, **336**,  
     361, 366–368, 368, 374  
   viscosity 354–355, 355  
   *see also* andesite; basalt; mafic enclaves;  
     volatiles, pre-eruptive  
 magma compressibility 221–222  
 magma fracturing 46  
 magma reservoirs 293  
   deep 208, 209–210  
   ellipsoidal models 195, 210–213, **211**, **213**,  
     214, 225–226, 225  
   shallow 208, 209  
   spherical models 195, 210–213, **211**,  
     212, **213**, 225–226, 225  
   stratified 336  
   *see also* dual-chamber-conduit models  
 magma sponge model 210, 226  
 magma storage region processes 361–374  
   geothermometry 366–368, 367, 368  
   glass melt inclusions 364, 365, 368, 369,  
     **370**, 371, **372–373**, 373, 374–380,  
     375–379  
   magma heating and mixing 362,  
     368–374, 371  
   mixing and reheating models 361  
   petrographical evidence of mineral  
     instability 363–366, 364–366  
   samples and analytical methods 362–363  
 magmatic system models 32–33, 32, 195  
   elastic-walled dyke model 31, 32,  
     52, 57, 61  
   geodetically constrained geometry  
     205–210, 208  
   magma migration imaging 219–226, 220,  
     222–225  
   magma mixing and reheating models 17,  
     322–323, 335–338, 352–357, 355,  
     357, 361, 362, 368–374, 371, 446  
   parameter sensitivity of 210–214, **211**,  
     212, **213**, 214, 215  
   seismic velocity modelling 25, 263–273,  
     268–275, 277–280, 280  
   *see also* dual-chamber-conduit models;  
     magma reservoirs  
 magnetic declination 493  
 magnetite 324  
 mapping systems 489–493, **490**, 490–492  
 Margie Ghaut 134, 139, 147, 147, 150  
 marine deposits *see* multi-stage collapse  
 events  
 Maritima Exclusion Zones 27, 257, 443  
 Masaya Volcano, Nicaragua 428  
 May, Sir Robert 413  
 McGill University, Canada 318, **319**  
 Merapi Volcano, Indonesia 129, 179, 180,  
 181, 182, 190  
 migration 458, 471, 478–479, 480  
 monitoring 19–22, 41–42  
   *see also* AVTIS; geodetic monitoring;  
     gravimetric monitoring; infrasound  
     monitoring; sulphur dioxide  
     monitoring; thermal imaging  
 Montserrat  
   geological context 2–3, 2, 383  
   governance 458, 459  
   map 4  
   wind direction 428, 430, 436, 445  
 Montserrat–Havers Fault System 274, 276,  
 277, 277  
 Montserrat Volcano Observatory (MVO)  
   19–21, 440–442, 458, 479, 481  
   *see also* hazard and risk assessments  
 Mosquito Ghaut 180, **181**, **182**, 183,  
**188**, **190**  
 Mount St Helens, USA 82, 150, 180, 311, 362,  
 460, 471  
   health risks 399, 408–410  
 mudflows 445  
 multi-annual cycles 31–32, 52–53, 53, **54**,  
 55, 67, 67, 68, 208, 209  
 multi-decadal cycles 53–57, **55**, 56

- Multi-GAS monitoring 28, 296–297, 299, 304, **305**, 306
- MULTIMO 21
- multi-stage collapse events 383–396, 384  
chemostratigraphy 388–390, 394, 395–396  
collapse model 395, 396  
geochemistry 385  
subaerial deposits 385, 386–388, 390–392, 395  
submarine deposits 29, 387–388, 391–393, 392–395, 395  
submarine morphology and geophysical data 384–387, 384, 389, 390
- multi-week cycles 31, 46–52, **49**, 50, 51, 52
- MVO *see* Montserrat Volcano Observatory (MVO)
- Narugo Volcano, Japan 354
- National Disaster Preparedness and Response Advisory Committee (NDPRAC) 440, 453, 454, 458, 463, 464, 465
- National Institute of Occupational Safety and Health, USA *see* NIOSH
- Natural History Museum (NHM), London 402
- NDPRAC *see* National Disaster Preparedness and Response Advisory Committee (NDPRAC)
- near-surface magma conduits 206–208, 208
- NERC (Natural Environment Research Council) 254, 257, 294, 295, 297, **298**
- Ngauruhoe, New Zealand 181
- nickel 336
- NIOSH (National Institute of Occupational Safety and Health), USA 408, 409, 414
- Ocean Bottom Instrument Consortium (OBIC) 257
- ocean-bottom seismometers 256, 257–258, 258, 262, 264–265, 264, 267, 269, 271, 281, 282
- ocean loading tides (OLT) 241, 242, 243, 245
- Old Towne 411, 414, 416, 417, 437, 444, 445, 453
- Olveston 411, 414, 416, 416, 420, 444, 444
- orthopyroxene 292, **319**, 344  
and andesite bulk-rock variation 323, **337**  
and andesite disequilibrium features 333, 334  
and magma temperature estimates 328, 329  
pre-eruptive volatiles study 294–296, **294**, 295, 298, 299–304, **300–301**, 302, 306, 307  
in pumice samples 324, 363, 364  
textures and composition 320–321, **320**, **323**, **324**, 325, 327, 345, 347, **347**, 349, 352
- Oxford, University of 318
- pargasitic amphibole 17, 361, 363, 365, 366
- partial dome collapse (Feb 2010) 133–151, 134  
building damage 13, 148, 148  
causes of collapse 150  
chronology of collapse 134–135, **137**, 138, 149–150  
deposit stratigraphy 136–147, 139–146, **140**  
geomorphic changes 149, 149  
pre-collapse activity 133–134, 135, 136  
vegetation damage 14, 147–148, 147
- PASSCAL (Program for Array Seismic Studies of the Continental Lithosphere) 254, 258, 259
- PDCs *see* pyroclastic density currents (PDCs)
- Pelée, Martinique 179, 330–331, 336
- persistent degassing 14, 338
- petrology 16–19
- PFz simulations 30, 442–444, 444
- phreatic explosions 71, 72, 82, 88, 146–147, 402, 403, 404, **404**
- Pinatubo, Philippines 61, 460, 472–473
- Piton de La Fournaise Volcano, Reunion Island 428
- plagioclase 18, **319**, 344  
and andesite bulk-rock variation 323, 336, **337**  
and andesite disequilibrium features 333, 334  
and magma mixing 354, 355, 356  
and magma temperature estimates 328–329  
in phenocryst assemblage 292  
in pumice samples 363, 364  
textures and composition 319–320, **320**, 321, **322**, 324, 345, 346, 347, **347**, 348, 348, 349, **350**  
*see also* glass melt inclusions
- platform tiltmeters 202  
*see also* tiltmeter monitoring
- Pleasant Bay Intrusion 356
- Plinian eruptions 26, 29, **442**, 445
- plug formation and ejection 45–46, 57, 195
- Plymouth  
essential services 476–478, **478**  
evacuations 410, 411, 458, 476  
location map 94  
pyroclastic density currents 12, 93, 96, 96, 97, 97, 99, 99, 119  
sulphur dioxide monitoring 429, 430, **430**, **431**, 432–433, 432–434, 435, 437
- polymict breccias 385, 386, 387, 390, 394, 395
- precursory activity **15**  
ash venting and explosions 71, **73**, 74, 75–80, 75, **76**, **77**, 78–82, 87–90  
tephra fallout mass 84–87, 89, **90**  
tephra grain-size and lithology 81–84, 85–88, **88**
- projections 489, **490**, 491–492
- pumice  
analysis of 362–363  
banded 324  
fallout **140**, 146  
lapilli deposits 103–104, 107, **108**  
mafic enclaves 324, 349  
PDC deposits 101–103, 106, 109  
textures 299, **303**  
*see also* tephra
- pumiceous deposits 139–144, **140**, 145–146, 145, 149–150
- pyroclastic density currents (PDCs) 7, 11, 13, 29–30, 30  
ashfall grain size 82, 84, 87  
building damage 148, 148  
deposit characteristics 96–99, 101–103, 101, 106, 109  
during dome growth 116, 117, 117–119, 118–123, 120, 127  
formation mechanisms 180  
hazard assessments 30, 442–445, **442**, 444, 453, 455  
hydrovolcanic explosions 445  
location maps 94, 96, 97, 99, 101  
and multi-annual cycles 53  
from partial dome collapse 134–135, **137**, 138, 149–150  
partial dome collapse deposit stratigraphy 136–147, 139–146, **140**  
in precursory periods 75, **76**, 77, 80, 82  
sub-daily cycles 42, 44–45, 45, 81  
tephra fallout mass 84–87, 89, **90**  
thermal and infrasound tracking 170–173, 171, 172, 173, 176–177, 176  
and valley filling 113, 114, 124–125, **124**, 125, **126**, 128–130, 128, 129  
vegetation damage 147–148, 147  
volume estimates 105–106  
and Vulcanian explosions 93, 94, **95**, 96–99, 96–99, 101  
*see also* ash-cloud surge detachment; block-and-ash flows
- Pyroflow simulations 30, 442, 443–444, 444
- pyroxenes *see* clinopyroxene; orthopyroxene
- quantitative risk assessment (QRA)  
methodology 440, 441
- quartz 292, **319**, **320**, 363  
abundance in ash deposits **400–401**, 402, 403  
health risks 408
- radar  
spaceborne 21, 229, 238, 239, 493  
*see also* AVTIS
- rainfall rates 238, 239
- RAP *see* Risk Assessment Panel (RAP)
- Reading, University of 229
- Real-time Seismic Amplitude Measurement (RSAM) data 41, 42–45, 44, 46, 100
- Redonda Fault System 275, 276, 277
- Redoubt Volcano, Alaska 127
- reflection imaging 273–274, 276, 280–281  
offshore reflection profiling 274–277, 277–280
- reflectivity, AVTIS data 237–238, 237
- RefTeks *see* land-based seismographs
- remote sensing  
geodetic monitoring 203–204, 215  
Interferometric Synthetic Aperture Radar (InSAR) 203–204, 207, 215, 238  
*see also* AVTIS
- respiratory health risks 407–424  
background to silicosis 408  
child health studies 413–414, 422–423  
map of ashfall 415  
Mount St Helens 408–410  
Phase 1 of eruption 410–414, 410–412  
Phase 2 of eruption 414–420, 416, 417  
Phase 3 of eruption 420–423  
risk assessments 411–413, 417–420, 418, **420**, 421
- RhyoliteMelts model 292, 306–308, 308, 309
- Richmond Hill 411, 416, 420, 422, 436
- Richmond Hill Sugar Mill 429, **430**, **431**, 432–433, 432–434, 435, 437

- Risk Assessment Panel (RAP) 22, 439, 440, 458, 460–461
- risk assessments *see* hazard and risk assessments
- rock compressibility 221–222
- rockfall events 15, 229
- AVTIS data 237, 238–239
- during dome growth 117, 118, 121, 123, 124, 127
- and multi-annual cycles 52, 53
- sub-daily cycles 42, 44–45, 45, 46, 81
- and valley filling 124, 125, 125, 128, 129
- see also* seismicity
- Royal Society expedition (1936) 55
- RSAM *see* Real-time Seismic Amplitude Measurement (RSAM) data
- Sabo dams (lahar containment structures) 182, 183
- SAC *see* Scientific Advisory Committee (SAC)
- Sacks–Evertson dilatometers 21, 153, 203, **203**
- St George's Hill 276–277, 411, 422, 436
- location map 94
- pyroclastic density currents 97, 101
- sulphur dioxide monitoring 429, **430**, **431**, 432–433, 432–434, 437
- Salem
- ashfalls 411–412, 416, 417
- essential services 473, 476, 477, 478, **478**
- evacuations 414, 460, 473, 484
- hazard assessments 444, 444, 445
- silicosis risk 419, **420**, 421
- Santiaguito Volcano, Guatemala 181, 306
- Scientific Advisory Committee (SAC) 22–23, 439, 453–455, 458
- see also* hazard and risk assessments
- Scripps Institution of Oceanography 257, 258, 259
- SEA-CALIPSO 22, 24, 25, 32, 253–286
- airgun units 257, 257, 258, 262–263, 266
- data 264–265, 267
- imaging deep reflectors 273–274, 276, 280–281
- land-based seismographs 256, 258–262, 259–263, 267, 269, 271, 272, 276, 282–284
- ocean-bottom seismometers 256, 257–258, 258, 262, 264–265, 264, 267, 269, 271, 281, 282
- offshore reflection profiling 274–277, 277–280
- operational issues 281–282
- planning and funding 254–257, 256
- seismic velocity modelling 25, 266–273, 268–275, 277–280, 280
- ship-board operations 262–263, 264–266, 284–286
- streamers, sonobuoys and XBT probes 258, 259, 262
- tectonic setting and bathymetry 254, 255
- seismic crises 2, 53–57, **55**, 56, 221
- seismicity 15–16, 24, 41, 229
- ash venting and explosions 73–75, 74, 75, 78
- end of eruption signal 446, **446**
- multi-annual cycles 52, 53
- and partial dome collapse 134, 136, **137**, 138, 150
- in precursory periods **73**, 75–76, **76**, 77, 78, 79, 80, 89
- sub-annual cycles 46–51, 50
- sub-daily cycles 42–45, 43, 44, 46
- and syn-extrusive ash venting 81, 84
- and Vulcanian explosions 93, 94–96, 99–100, 102–105, 108–109, 174, 175–177, 175
- seismic lines 259
- Seismic Research Centre (SRC), Trinidad 19, 55, 458
- seismic tomography *see* SEA-CALIPSO
- seismic velocity modelling 25, 266–273, 268–275, 277–280, 280
- seismographs, land-based 256, 258–262, 259–263, 267, 269, 271, 272, 276, 282–284
- seismometers, ocean-bottom 256, 257–258, 258, 262, 264–265, 264, 267, 269, 271, 281, 282
- Sete Cidades, Azores **108**
- SETs *see* solid Earth tides (SETs)
- shallow conduit–dyke models 208–209, 208, 243
- see also* elastic-walled dyke model
- shallow magma storage 208, 209
- see also* dual-chamber-conduit models
- shear-induced fragmentation 90, 91
- silicosis 399, 408, 409, 445
- risk assessments 411–413, 417–420, 418, **420**, 421
- Silver Hills 259, 260, 261, 271, 275, 383
- slope failure events *see* multi-stage collapse events
- societal effects *see* essential services
- societal risk 452–453, 452, 453
- Soldier Ghaut 249, 249
- solid Earth tides (SETs) 241, 242, 243, 245
- sonobuoys 259, 262
- Soufrière Hills Volcano
- chronological summary of eruption 3–12, **5**
- geological context 2–3, 2
- Southampton, University of 257
- South Soufrière Hills basalt 344
- South Soufrière Hills (SSH) *see* multi-stage collapse events
- spaceborne radar interferometry 21, 229, 238, 239, 493
- Spanish Point 134, 135, 139, 140, 145, 149
- spherical reservoir models 195, 210–213, **211**, 212, **213**, 225–226, 225
- Spring Ghaut 99, 121, 124, **124**, 128–129
- SRC *see* Seismic Research Centre (SRC), Trinidad
- station velocities 201
- stick–slip flow 46
- strain monitoring 21, 153, 197, 198, 202–203, **203**, 208, 209, 210
- streamers 258, 259, 262
- Streatham
- building damage 148
- evacuations 411
- location map 134
- and partial dome collapse 29, 136, 137, 139, **140**, 141, 149
- sub-annual cycles 31, 46–52, **49**, 50, 51, 52
- submarine deposits *see* multi-stage collapse events
- sub-Plinian eruptions 104–105, **108**
- sulphur dioxide monitoring 42
- COSPEC 20, 427, 428, 435
- differential optical absorption spectroscopy (DOAS) 20, 297, **305**, 427, 428–429, 431, 435, 435, 436
- diffusion tube 20, 28–29, 427, 428–437, 429, **430**, **431**, 432–436
- Multi-GAS 28, 296–297, 299, 304, **305**, 306
- sulphur dioxide (SO<sub>2</sub>)
- end of eruption signal 446, **446**
- and groundmass composition 338
- health risks 409, 410, 420–422, 427–428, **428**, 437, 445
- hydrogen chloride:sulphur dioxide ratio 14–15, 28, 45, 45, 293, 420
- multi-annual cycles 53
- in precursory periods 76, 77, 79
- pre-eruptive volatiles study 28, 293, 296–297, 297, **298**, 299, 304, **305**, 306
- rates of emission 14, 23
- sub-annual cycles 52
- sulphur, problem of excess 292, 293
- Sustainable Development Plan 479
- syn-extrusive ash venting 75, 78, 81, **83**, 83, 84
- mechanisms 90–91, 90
- tephra fallout mass 84–87, 89, **90**, 91
- tephra grain-size and lithology 83–84, 87–89, 90–91
- Talvitie method 399–402
- Tar River Fan 96
- Tar River Valley
- and ash-cloud surge detachment **181**, **182**, 183, 184, **188**, **190**
- hydrovolcanic explosions 445
- location maps 94, 180
- and partial dome collapse 7, 136
- pyroclastic density currents 77, 97, 99
- valley filling **124**, 125
- temperature measurement, AVTIS 230, 230, 236, 237
- tephra
- accretionary lapilli 81–82, 86, **95**, 103–105, 107, **108**, 108, **140**, 146
- deposits from partial dome collapse **140**, 141–144, 146, 146, 149
- fallout mass 84–87, 89, **90**, 91
- grain-size and lithology 81–84, 85–89, 88, 90–91, 103–105, **108**, 108
- hazard assessments **442**, 445
- plume ascent rates 100–101, 105, 174–175, 174
- plume dynamics 174–176, 174
- plume heights 14, 74, **76**, 81, **83**, **95**, 96, 97, 99, 109
- rampart 81, 84
- see also* ash deposits
- Texans *see* land-based seismographs
- thermal imaging 20, 51, 52
- camera position 169–170, 170
- PDC tracking 170–171, 171, 172–173, 172, 173, 175, 176–177, 176

- plume ascent rates 100–101, *105*,  
174–175, *174*
- Vulcanian explosions 100–101, *105*,  
173–177, *174*, *176*
- tidal loading 241, 242, 243, **243**, 245
- tiltmeter monitoring 41–42, *197*, *198*,  
201–202, **202**, 208, 209, 215
- TITAN2D simulations 30, *30*, **188**, *189*, 190,  
**190**, 442–444, *444*
- titanomagnetite 292, **319**, 362  
and magma temperature estimates 361  
in pumice samples 324, 363, *364*, 366,  
*367*, 368, 368
- textures and composition 322, 325,  
**328**, 347
- tomography *see* SEA-CALIPSO
- topography  
AVTIS data *234–236*, *236–237*  
*see also* ash-cloud surge detachment
- transensional deformation zones 277
- Transverse Mercator (TM) method 489, **490**,  
491–492
- Trants  
location map *134*  
and partial dome collapse *14*, 135,  
*139*, 140, **140**, *145*, 146, *146*,  
149, 150
- tremors 15
- tridymite 403, 408
- Tristan da Cunha 472
- tsunamis 383, 396, 445
- tuberculosis 408
- Tuitt's Ghaut  
and ash-cloud surge detachment **181**, **182**,  
183, 184, *184*, 186, **188**, **190**  
location maps *134*, *180*  
and partial dome collapse 145  
valley filling *118*, 119, **124**, 125,  
**126**, 129
- turbidites 392–393, 394, 395, *395*, 396
- two-chamber models *see*  
dual-chamber-conduit models
- Tyers Ghaut 117  
location maps *94*, *134*  
and partial dome collapse 135  
pyroclastic density currents *11*, 98  
valley filling *118*, 119, 122, **124**, 125, *125*,  
*128*, 129–130, *129*, 185
- Unzen, Japan 179, 180, 182, 354, 362
- Upper Dacite 385, 386, 390
- US Geological Survey 408
- Volcanic Disaster Assistance  
Programme 410
- valley filling 113, *114*, 124–125, **124**, *125*,  
**126**, 128–130, *128*, *129*
- vegetation damage *14*, 147–148, *147*, 420
- velocity modelling 25, 266–273, 268–275,  
277–280, 280
- vesicle size distribution (VSD) 296,  
298–299, *303*
- vesicle volume distribution (VVD) 296,  
298–299, *303*
- Vesuvius, Italy 104, **108**, 180
- viscosity, magma 354–355, *355*
- volatiles, pre-eruptive 28, 291–312  
dissolved volatiles 299–304  
exsolved volatiles 28, 304–311, *308*, **309**,  
*309*, *310*  
geological, petrological and geochemical  
setting 292–293  
glass melt inclusion and orthopyroxene  
analysis 294–296, **294**, *295*, 297–298,  
*297*, **298**, 299–304, *306*, *307*  
implications for eruption style  
309–311, *310*  
mafic enclave analysis 294, **294**, 295, 296,  
298–299, *302*, **303**, *303*, 306–307,  
*309*  
samples and analytical methods 293–297,  
**294**, *295*  
volcanic gas ratios and flux analysis  
296–297, 299, *304*, **305**, *306*
- Volcan de Colima, Mexico 87–88
- Volcanic Disaster Assistance Programme 410
- Volcano Executive Group (VEG) 458
- volcano-seismic crises 2, 53–57, **55**, *56*
- volcano-tectonic (VT) earthquakes  
*see* seismicity
- volume capacitor mechanism 48, 51–52, *57*
- volumetric flux monitoring 42
- Vue Pointe Hotel 429, **430**, **431**, 432–433,  
*432–434*
- Vulcanian explosions *12*, 26, **28**, 93–109  
chronology of events 93–99, *94*, **95**,  
*96–101*  
compared with ash venting 73–75, *74*, *75*  
cristobalite abundance in deposits  
402–403, 404, **404**  
and dome growth 113–116, **115–116**, *118*,  
*121*, 123–124, *123*, *124*  
gravimetric monitoring 243–244, *244*  
lapilli fallout **95**, 103–105, *107*, **108**, *108*  
and partial dome collapse 135, 150  
PDC deposit characteristics 96–99,  
101–103, *101*, *106*  
plume ascent rates 174–175, *174*  
in precursory periods 77–80, 87–88  
and seismicity 93, 94–95, 99–100,  
*102–105*, 108–109, *174*,  
*175–177*, *175*  
and sub-daily cycles 46, 97, 98  
tephra grain-size and lithology 83–84,  
*87*, 103–105, **108**, *108*  
tephra plume heights 74, **76**, **95**, 96, 97,  
99, 109  
thermal and infrasound tracking  
100–101, *105*, 173–177, *174*,  
*175*, *176*  
thermal video analysis 100–101, *105*  
vent locations 106–108  
volume estimates **95**, 105–106, 109  
volumes of dome material removed  
106–108  
*see also* atmospheric internal waves
- water (H<sub>2</sub>O), pre-eruptive volatiles  
study 293, 294–296, *295*, 297–298,  
*297*, **298**, 299–304, **300–301**,  
*302*, 307, *307*, **309**
- Weekes 429, **430**, **431**, 432–433,  
*432–434*, 437
- West Indies, University of the 19, 55, 458
- W. H. Bramble Airport 135, *139*, 140, *145*,  
146, 149
- White River Fan 98
- White River Valley 117, 127  
and ash-cloud surge detachment **181**, **182**,  
183, 184, 189  
location maps *94*, *180*  
pyroclastic density currents 80, 82, 97  
valley filling 119, 124, **124**, *125*, 128
- White's Bottom Ghaut *94*, 98, 99, 99, 129,  
*139*, **140**, 145
- White's Ghaut **124**, 125, **126**, 129, *134*
- White's Yard 7
- wind direction, Montserrat 428, *430*,  
436, 445
- Woodlands 412, 413, 416, 419, **420**, *421*
- World Health Organization (WHO)  
427, **428**
- XBT (expendable bathythermograph)  
probes 259, 262
- X-ray fluorescence (XRF) data 318, **319**