

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- abrasion  
and cliff recession 149  
ice 270, 270  
platform erosion 42, 46, 171–172, 172, 220, 238, 239, 277  
rocking 49  
*see also* bioabrasion; wave erosion  
abrasion trails 42, 46  
aerial surveys 22–23  
African coast, Mediterranean Sea 112–114, 113  
airborne laser scanning (ALS) 23–24, 30  
Alaska 13, 270, 272, 273  
Albania 106  
Algeria **111**, 113, 113  
ALS *see* airborne laser scanning (ALS)  
alum extraction 21  
Andes 160  
Antarctic 275–277, 276  
*see also* polar and sub-polar regions  
Arctic 273–274, 274  
*see also* polar and sub-polar regions  
arcuate steps 46  
Argentina 159, 160, 161, 170–173, 171, 172, 173  
Atlantic coast of Europe 77–86, 78, 79  
cliff and platform morphology 78–80, 79, 80, 81  
cliff recession 80–81, 82–84, **82–83**, 83, 84  
platform erosion 81–82, 84–85, 85  
role of inheritance 85  
atolls 249–250, 250  
Australia 235–243, 236  
carbonate shores 241–242, 241, 242  
climatic and geological setting 237  
hard sedimentary shores 237–241, 239  
igneous shores 240, 241  
sea level change 236–237  
storms and tsunamis 242–243  
tidal ranges 235–236  
Balearic Islands 95, 96, 97, **109**, **110**  
Balls Pyramid 253, 253  
barnacles 67, 68, 69, 102  
Bartrum, John A. 225–228, 237  
Bayesian modelling 29, 150  
beaches  
and cliff recession 26, 144, 147, 151  
cliff-top boulder 27  
and climate change 10, 13, 13, 14  
and platform erosion rates 48  
uplifted 162, 164  
beachrock ledges 168–169, 169  
bedrock plucking *see* quarrying  
Belize 161, 163, 164  
bioabrasion 48, 64, 65, 65, 67, 69  
biochemical weathering 64–66, 67  
bioconstructional organisms  
British Isles 65, 68, 69  
and climate change 12  
coralline algae 255, 255  
Mediterranean 108, 112  
bioerosion  
Atlantic coast of Europe 85  
Australian carbonate platforms 242  
British Isles 28, 48, 64–68, 65, 69, 70  
and climate change 11–12  
Mediterranean 92–93, 93, 102, 103, 108, 114  
New Zealand 230  
polar and sub-polar regions 272–273, 273  
reef limestone coasts 256  
South America 171, 172, 184  
United States 149  
biofilms 11–12, 64, 67, 69  
biogeomorphology 28  
biokarst, Mediterranean 93  
bioprotection  
Atlantic coast of Europe 85  
British Isles 65, 68  
and climate change 11–12  
polar and sub-polar regions 272–273  
South America 171, 172  
biosolution 67  
bioweathering 11, 65–66  
*see also* biochemical weathering  
Black Sea 114–115, **115**  
boulder pavements, Antarctic 277  
boulders *see* platform boulders;  
tsunami-deposited blocks  
boundary conditions 1–4  
Brazil 159, 161, 168–169, 168, 169  
breaker zones, and sea level rise 8, 9  
British Geological Survey, GeoScenic archive 31, 32  
British Isles  
bedrock geology 20  
biogenic processes 64–69, 70, 71  
bioconstruction 65, 68, 69  
bioerosion and bioweathering 28, 48, 64–68, 65, 69, 70  
bioprotection 65, 68  
ecological interactions 68–69  
cliffs 19–32, 20  
classification and categorization 22  
and climate change 31–32  
databases 31, 32  
height of cliff–platform junction 43  
management of 21–22, 23  
mining 20–21  
modelling 28–30  
morphology 19  
and platform width and gradient 42–43  
processes acting on 19–22, 21, 26–28  
recording changes 22–26, 25, 30, 32  
timescales of change 24–26, 30–31  
weathering **58**, 62, 63, 64, 70–71  
shore platforms 39–52  
biogenic processes **58**, 64, 65, 66–67, 66, 68, 69  
boulders 40, 42, 43–44, 44, 45–46  
chemical weathering 64  
distribution 41  
and engineering structures 44, 48, 49–50  
erosion rates and patterns 44–45, 46–49, **47**, 50  
features 40–41, 40, 42  
height of cliff–platform junction 43  
inheritance 51, 52  
mechanical weathering 57–59, **58**, 60–62, 61, 62, 63, 66  
mining 21  
rock structure 42, 43–45  
width and gradient 41–43  
tidal ranges 39–40  
weathering 57–64, 69–71  
chemical 60, 63–64  
example studies **58**  
frost 44, 49, 62, 70  
measurement 57–59  
salt crystallization 28, 61, 62–63, 70  
thermoclasty 28, 60–62, 62, 67  
wetting and drying 60, 61  
Bulgaria 114–115, **115**  
bull kelp (*Durvillaea antarctica*) 272–273, 273  
calas 95, 96  
calcareous algae 68, 93, 108  
California, USA  
north and central 137, 138, 144–147, 145, 146  
southern 137, 138, 147–149, 147, 148  
Canada 13, 125–134  
Arctic 263, 264, 265, 266, 273, 274  
climate change effects 129  
erosion of rocky coasts 128, 129–131  
geology and topography 125, 126  
hard rock shore platforms 130, 131, 132–134, 133  
role of frost and ice 126–128, 128  
sea level change 126, 127, 129, 133  
Southern Great Lakes 12, 13, 130, 131–132  
waves and tides 125–126, 127  
Canary Islands 250, 251  
cantilevered failure 150  
carbonate coasts *see* limestone coasts  
cavernous weathering 63  
*see also* honeycomb weathering  
Central America 155–156, 156, 161–165, 162, 163  
chemical weathering  
British Isles 60, 63–64  
and climate change 11  
reef limestone coasts 256  
United States 149–150  
Chile 159, 160, 173–176, 174, 175, 176, 177  
Classical Karst area, Mediterranean 104, 105–106  
cliff falls, fatalities 147, 284  
CLIFFPLAN 29

- cliff reactivation, and rising sea levels 8
- cliff recession  
 Atlantic coast of Europe 80–81, 82–84, **82–83**, 83, 84  
 basic equation for wave erosion 209–212, 210, **211**, 211, 212  
 Black Sea **115**  
 British Isles  
 boulders from 45  
 and climate change 31–32  
 databases 31, 32  
 modelling 28–30  
 and platform width and gradient 42–43  
 processes of 19–22, 21, 26–28  
 recording changes 22–26, 25, 30, 32  
 timescales of change 24–26, 30–31  
 weathering **58**, 62, 63, 64, 70–71  
 Canada  
 Southern Great Lakes 12, 13, 130, 131–132  
 weathering 128  
 climate change 12  
 earthquake-induced 146, 149, 150  
 episodic 14, 14, 137–138, 141, 149  
 Iceland 275  
 Japan 203, 219, 221  
 Korea 198–199, **198**, 199  
 Mediterranean 90, 92, 101–102, 103, 105, 108, **109**, 112  
 New Zealand 228–229, 228, 231  
 polar and sub-polar regions 270–271, 271, 275  
 predictive models of 150–151  
 and sea level rise 2, 9–10, 10, 12–13, 13, 26, 30  
 South America 165, 166, 167, 168, 169, 170, 180–182  
 United States 137–138, 139–141, 141, 144, 146–147, 148–151
- cliff-top boulder beaches 27
- climate 3
- climate change 7–15, 284  
 bioerosion and bioprotection 11–12  
 effects in British Isles 31–32  
 effects in Canada 129  
 effects in Korea 198  
 mass movement 12  
 predictive models 151  
 wave erosion 8–10, 9, 10  
 and weathering 10–11
- coastal barrens 264–265, 266
- coastal defence schemes  
 and cliff behaviour 21–22, 23, 32, 138  
 and platform erosion rates 48  
 salt weathering 63  
 United States 138, 142, 143  
*see also* engineering structures
- coastal karren  
 Atlantic coast of Europe 79, 80, 80, 81  
 British Isles 41, **58**, 67  
 Mediterranean 94, 96, 97, 102, 103, 111, 114
- Colombia 159, 165–167, 166, 167
- composite cliffs  
 Canada 130  
 Mediterranean 94, 96, 112
- concrete, biochemical weathering 67
- continuous monitoring 24–26
- coralline algae 255, 255
- coral reefs  
 Central America 164, 165  
 oceanic islands 248–250, 250, 251, 252  
*see also* reef limestone coasts
- Corsica 92, 100, 101, 105
- coseismic uplift  
 Central America 162, 164–165  
 New Zealand 230, 231  
 rocky coast evolution models under uplift conditions 207–209, 208
- cosmogenic surface-exposure dating, Korea 199–200, **199**, 200
- Costa Rica 161, 162–165, 163
- Cotton, Sir Charles 228–229, 228, 251
- crenulated cliffed coastline, Mediterranean 94, 95, 96
- Crete 107–108, 107
- Crimea 115, **115**
- Croatia 104, 106, **110**
- cyanobacteria 66–67, 66
- Cyprus **111**, 112
- Dana, James Dwight 225, 237, 247, 248, 251, 283
- Darwin, Charles 156, 229, 235, 248, 249, 251, 283
- databases, cliffs in British Isles 31, 32
- Davis, William Morris 226, 229, 251, 257
- DEMs *see* digital elevation models (DEMs)
- digital elevation models (DEMs) 1, 24, 31
- digital photogrammetry 22, 23–24, 30, 49
- dissolution 64  
 Australian carbonate platforms 242  
 biosolution 67  
 reef limestone coasts 256, 257  
*see also* karren morphologies; karst features
- dissolution pipes 70, 108
- distinct element models 29
- downwearing *see* platform erosion
- downwearing rates  
 Australia 238, 240  
 British Isles 44–45, 46–49, **47**  
 Canada 134
- drownings 284
- earthquake-induced cliff recession 146, 149, 150
- earthquakes  
 Canada 125–126  
 Central America 162, 164–165  
 Mediterranean 105, 108, 111  
 South America 160, 165, 169  
 United States 146, 149, 150
- Ebisu-jima platform, Japan 216–219, 216, 217, 218, 219, 221
- Ecuador 159, 178–184, 180, 181, 182, 183
- Egypt **111**, 113, 114
- Elfen numerical code 29
- El Niño events  
 and climate change 8, 129  
 South America 165, 181–182  
 United States 138, 142, 144, 148
- El Salvador 161, 162, 163
- emergent limestone islands 250, 250, 254–257, 254, 255, 256
- endolithic colonization 67
- engineering structures  
 biochemical weathering 67  
 and cliff recession 138  
 erosion of 49  
 and platform erosion 44, 48, 49–50  
 salt weathering 63  
*see also* coastal defence schemes
- Europe *see* Atlantic coast of Europe; Mediterranean Sea
- eustatic uplift 2  
 Australia 236–237, 238–241  
 Korea 197, 198
- extreme weather events 198
- finite element models 29
- fjords 130–131, 263–264, 264, 271, 275
- flank margin caves 112
- flexural fatigue 150
- floating ice 128, 270, 270, 277
- font features, Australia 238, 239
- France  
 Atlantic coast  
 cliff recession 81–82, **83**, 84, 84  
 morphology 80, 80, 81  
 platform erosion 84–85  
 platform inheritance 85  
 Corsica 92, 100, 101, 105  
 Mediterranean coast 91, 96–97, 98, **110**, **111**
- freeze–thaw cycles 62  
 Canada 126, 128  
 and climate change 10  
 United States 149–150
- frost weathering  
 British Isles 44, 49, 62, 70  
 Canada 126–128, 128  
 and climate change 10  
 polar and sub-polar regions 270–271, 271, 275  
 United States 149–150
- Galapagos Islands 159, 250
- geodiversity value 284–285
- geology 2–3  
 and cliff recession  
 Atlantic coast of Europe 82–83  
 Korea **198**, 199, 199  
 and height of cliff–platform junction 43  
 and platform elevation 231  
 and platform erosion rates 46–48, **47**  
 and platform width and gradient 43  
 and weathering rates 59
- geomorphometry 32
- GeoScenic archive 31, 32
- Gibraltar 94, 95, 112–113
- glacial erosion 263–266, 264, 265, 266
- glacial outwash plains 264, 274–275
- glacial till cliffs  
 British Isles 12–13, 13, 22, 23, 45  
 Southern Great Lakes, Canada 12, 13, 130, 131–132  
 United States 139–141, 139
- global positioning systems (GPS) 22, 23
- global sea surface temperatures 7
- GPS *see* global positioning systems (GPS)
- grazing organisms  
 Australian carbonate platforms 242  
 British Isles 48, 65, 67, 69

- Mediterranean 102  
reef limestone coasts 256  
Greece 106–108, 107, **110**, **111**  
Greenland 263, 267, 273, 274  
groundwater 2–3  
British Isles 27  
United States 144, 146, 148, 150  
Guatemala 161, 162, 163, 164
- halite, and climate change 11  
haloclasty *see* salt weathering  
Hawaiian Islands 248, 249, 251, 252–253, 252, 253  
hazards 147, 162, 284  
*Hiatella arctica* 69  
historic map data, cliff changes 22, 23  
Holbeck Hall landslide 23  
Honduras 162, 163, 164  
honeycomb weathering  
Australia 238, 239  
British Isles 59, 63, 64  
Mediterranean 96, 97, 102, 105, 114  
honeycomb worm (*Sabellaria alveolata*/*S. spinulosa*) 68, 69  
horizontal platform development model,  
Japan 212–221  
basic equation for cliff erosion by waves 209–212, 210, **211**, 211, 212  
Ebisu-jima platform 216–219, 216, 217, 218, 219, 221  
evolution models under uplift conditions 207–209, 208  
Kii Peninsula 214–216, 215  
wave assailing force and rock resisting force 219–220  
wave heights 212–213, 213, 217–218, 218  
weathering in cliff recession 219, 221  
lithology and rocky coast landforms 205–206, 205, 206  
tectonic setting and sea-level change 204–205, 204  
waves and tides 206–207  
jökulhlaups 275
- karren morphologies  
Atlantic coast of Europe 79, 80, 80, 81  
British Isles 41, **58**, 67  
Mediterranean 94, 96, 97, 102, 103, 111, 114  
karst features  
Atlantic coast of Europe 80, 83  
British Isles **58**, 67  
Mediterranean 96, 97, 100, 103, 104, 105–106, 108–111, 112, 113, 114  
Venezuela 169  
kelp 67, 272–273, 273  
Kii Peninsula, Japan 214–216, 215  
knick point migration 30  
Korea 193–201  
cliff recession 198–199, **198**, 199  
cosmogenic dating of platform development 199–200, **199**, 200  
geology and tectonics 193, 194, 195  
rocky coast landforms 196–198, 196, 198  
tides 193–195, 195, 196  
waves 195–196
- lake levels, and climate change 8  
landslides, fatalities 147, 284  
laser scanning 1, 30  
airborne 23–24, 30  
Swantesson 44, 46, 48, 49  
terrestrial 24, 25, 30  
Lebanon **111**, 112  
Libya 113, 114  
lichens 67, 68, 69  
light detection and ranging (LiDAR) techniques 1  
limestone coasts  
Australian calcarenite coasts 241–242, 241, 242  
Black Sea 114, 115  
emergent limestone islands 250, 250, 254–257, 254, 255, 256  
makatea islands 250, 250, 257, 257  
Mediterranean Sea 92–93, 93  
Middle East coast 112, 114  
northeastern coast 104, 105–106, 108, 111  
northwestern coast 94, 95, 96, 97, 97, 98, 99–101, 102, 103
- limpets 48, 67, 69  
lithology  
and cliff recession  
Atlantic coast of Europe 82–83  
Korea **198**, 199, 199  
and platform erosion rates 46–48, **47**  
and platform width and gradient 43  
and rock boring 66–67, 66  
and weathering rates 59  
Lord Howe Island 253, 258–259, 258
- makatea islands 250, 250, 257, 257  
Maltese Islands 100, 101, 105, **110**, **111**  
mangrove shores, Central America 164  
marginal ice zone (MIZ) 269  
marine terraces  
Central America 162, 163, 164  
Korea 197, 198  
South America 161, 165, 168, 169, 171, 177–178, 179, 182  
United States 142–143, 143, 144, 145–146, 146, 148  
Marquesas Islands 248  
mass movement  
and climate change 12  
*see also* cliff recession  
measurement 1  
Australia 238, 240  
British Isles 44, 46–48, 49, 57–59  
New Zealand 229–231, 229, 230  
*see also* monitoring  
mechanical weathering **58**, 60–63, 60, 61  
frost weathering  
British Isles 44, 49, 62, 70  
Canada 126–128, 128  
and climate change 10  
polar and sub-polar regions 270–271, 271, 275  
United States 149–150  
salt weathering  
British Isles 28, 61, 62–63, 70  
and climate change 11  
Japan 221  
Mediterranean 102, 103, 105  
polar and sub-polar regions 271, 275  
United States 149  
thermoclasty 28, 60–62, 62  
and bioerosion 67  
and climate change 10–11  
wetting and drying (slaking)  
British Isles 60, 61  
New Zealand 230, 231  
polar and sub-polar regions 271  
South America 184  
Mediterranean Sea 89–116, 90  
African coast 112–114, 113  
cliff recession 90, 92, 101–102, 103, 105, 108, **109**, 112  
Middle East coast 111–112  
northeastern coast  
landforms 104, 105–108, 107  
processes 108–111  
northwestern coast  
landforms 94–101, 94, 95, 96, 97, 98, 100  
processes 101–105, 104  
platform erosion 92, 102–105, 108–111, **110**, 112, 113, 114
- hydraulic cracking 150  
hydrogeology 2–3  
hyperkarst, Mediterranean 103
- ice  
and climate change 7  
ice-foot 128, 128, 270, 270, 271–272, 272  
intertidal 126–128, 270–271, 270, 277  
quarrying 132, 270, 270  
sea 7, 125, 128, 268–269, 269  
Iceland 267, 268, 274–275, 275, 276  
*icoasst* model 283  
Intermap collected airborne interferometric synthetic aperture radar (IFSAR) data 31  
intertidal ice 126–128, 270–271, 270, 277  
isostatic uplift  
Canada 126, 127, 133  
Central America 162  
Mediterranean 91  
polar and sub-polar regions 264, 266–267  
South America 156, 160, 161  
Israel **109**, 112  
Italy  
Adriatic coast 104, 105–106  
cliff recession **109**  
platform erosion **110**  
Sardinia 92, 100, 101, 103–105, 108  
Sicily 99–101, 100  
tsunami-deposited blocks **111**  
western coast 91–92, 97–99, 98, 102

- Mediterranean Sea (*Continued*)  
 rocky coast types 91–93, 92, 93  
 tsunami-deposited blocks 90, 100, 105, 111, 111, 112, 113, 114
- MEMs *see* micro-erosion meters (MEMs)
- micro-boring 66–67, 66
- micro-erosion meters (MEMs) 1  
 Australia 238, 240  
 British Isles 44, 46, 48, 49, 57  
 Japan 216–219, 216, 217, 218, 219  
 New Zealand 230
- microorganisms  
 biofilms 11–12, 64, 67, 69  
 bioprotection 68  
 rock boring 66–67, 66, 108
- microseismic forcing 147, 284
- microtidal environments  
 Australia 238  
 Japan 206–207, 207  
 polar and sub-polar regions 267  
 South America 170  
*see also* horizontal platform development model, Japan
- Middle East coast, Mediterranean Sea 111–112
- mining, coastal 20–21
- modelling 283  
 cliff evolution 28–30, 150–151  
*see also* horizontal platform development model, Japan
- molluscs  
 grazing 48, 67  
 rock boring 65, 66, 66, 69
- monitoring  
 cliff changes 22–26, 25, 30, 32  
*see also* measurement
- Montenegro 106–108
- Morocco 113
- multistoreyed cliffs 2  
 Canada 130  
 Mediterranean 112  
 New Zealand 228–229, 228
- mussels 67, 68, 171
- natural arches  
 Chile 174–176, 176, 177  
 Korea 197
- New England, USA 137–141, 138, 139, 140, 141
- New Zealand 225–233, 226, 227  
 explanatory description 225–229, 227, 228  
 process-based studies 231–232, 232  
 quantitative studies 229–231, 229, 230
- Nicaragua 161, 162, 163, 164
- North Pacific High 144
- Norway 265, 273
- numerical models of cliff evolution 29, 150–151
- ocean chemistry, and climate change 12
- ocean circulation, and climate change 12
- oceanic islands 247–259  
 atolls 249–250, 250  
 with both volcanic and limestone shorelines 257–259, 258  
 emergent limestone 250, 250, 254–257, 254, 255, 256  
 makatea islands 250, 250, 257, 257
- volcanic 248–249, 249, 250–253, 250, 252, 253
- Old Hat island morphology 226, 227, 231, 258, 259
- Pacific Decadal Oscillation 129
- Pacific NW, USA 137, 138, 141–144, 142, 143
- Panama 161, 163, 164, 165
- Paracentrotus lividus* 69
- parallel retreat 132
- particle hydrodynamics models 29
- Patagonia 159, 160, 161, 170–173, 171, 172, 173
- penguins 273
- Peru 159, 160, 176–178, 177, 178
- Perumytilus purpuratus* 171
- physical weathering *see* mechanical weathering
- piddocks 65, 66
- plates kinematics, South America 159–160
- platform boulders  
 Antarctic 277  
 Atlantic coast of Europe 80, 86  
 Australia 242–243  
 British Isles 40, 42, 43–44, 44, 45–46  
 Iceland 275, 276
- platform development model *see* horizontal platform development model, Japan
- platform erosion  
 Atlantic coast of Europe 81–82, 84–85, 85  
 Australia 237–239, 239, 240, 241–243  
 British Isles  
 biogenic processes 58, 64, 65, 66–67, 66, 68, 69  
 and boulders 40, 42, 43–44, 44, 45–46  
 chemical weathering 64  
 and cliff recession 26  
 and engineering structures 44, 48, 49–50  
 erosion rates and patterns 44–45, 46–49, 47, 50  
 mechanical weathering 57–59, 58, 60–62, 61, 62, 63, 66  
 and rock structure 42, 43–45  
 Canada 130, 131, 132–134, 133  
 and climate change 8, 11, 13–14, 14  
 Iceland 275, 275, 276  
 Mediterranean 92, 102–105, 108–111, 110, 112, 113, 114  
 New Zealand 225–228, 227, 228, 229–232, 229, 230, 232  
 polar and sub-polar regions 270–271, 270, 271, 275, 275, 277  
 and sea level rise 2  
 seasonal variation 48, 52, 81, 108, 230  
 South America 171–172, 172, 173–174, 174, 175, 184  
 tsunamis 243
- platform gradients  
 Australia 238  
 British Isles 42–43  
 Korea 196–197, 197, 198  
 and lithology 43  
 and tidal ranges 132–133, 132, 235  
 weathering–wave erosion debate 132, 134  
*see also* horizontal platform development model, Japan
- platform inheritance 2  
 Atlantic coast of Europe 77, 85, 86  
 British Isles 51, 52  
 Korea 199  
 polar and sub-polar regions 266–267, 267, 268, 277
- platform swelling 60, 230, 238
- platform width  
 Australia 238  
 British Isles 41–43  
 Japan 220–221  
 New Zealand 231
- plunging cliffs  
 Japan 203, 206, 206  
 Mediterranean 92, 93, 94, 95, 96, 98, 99, 101, 104, 105  
 New Zealand 228–229, 228
- polar and sub-polar regions 263–277  
 Antarctic rocky coasts 275–277, 276  
 Arctic rocky coasts 273–274, 274  
 bioerosion and bioprotection 272–273, 273  
 glacial erosion 263–266, 264, 265, 266  
 ice-foot 270, 270, 271–272, 272  
 Icelandic rocky coasts 274–275, 275, 276  
 inherited shorelines 266–267, 267, 268  
 intertidal ice 270–271, 270  
 sea ice 268–269, 269  
 storms 267–268  
 tidal ranges 267
- polychaete worms 66
- Portugal 78–79, 81, 82, 83–84, 84
- precipitation  
 cliff recession 27, 70, 82–83, 84, 144, 168  
 and climate change 7, 8
- predictive models of cliff evolution 28–30, 150–151
- probabilistic models of cliff evolution 28–29, 150
- process based models of cliffs 29–30
- profile parallel retreat 22
- public interest 284–285
- quantitative studies *see* measurement
- quarrying  
 ice 132, 270, 270  
 wave 1  
 cliff recession 26, 150, 275  
 platform erosion 49, 275, 277
- quarrying (human), Mediterranean 112
- rainfall  
 and cliff recession 27, 70, 82–83, 84, 144, 168  
 and climate change 7, 8
- reef limestone coasts  
 emergent limestone islands 250, 250, 254–257, 254, 255, 256  
 makatea islands 250, 250, 257, 257
- reefs  
 Central America 164, 165  
 oceanic islands 248–250, 250, 251, 252  
*see also* reef limestone coasts
- ria* 172–173, 173
- rip embayments 142, 143, 143, 144
- rock boring organisms  
 Atlantic coast of Europe 85  
 Australian carbonate platforms 242

- British Isles 65, 66–67, 66, 69, 70  
Mediterranean 108  
New Zealand 230
- rocking abrasion 49
- rock structure 42, 43–45, 231
- rock swelling 60, 230, 238
- Rumania 115
- runnels, shore platforms in British Isles 49, 50
- Russia 13, 267, 273
- Sabellaria alveolata* 68, 69
- Sabellaria spinulosa* 68
- salt hydration, and climate change 11
- salt weathering  
British Isles 28, 61, 62–63, 70  
and climate change 11  
Japan 221  
Mediterranean 102, 103, 105  
polar and sub-polar regions 271, 275  
United States 149
- sandur 264, 274–275
- Sardinia 92, 100, 101, 103–105, 108
- scale issues 283–284
- SCAPE (Soft Cliff and Platform Erosion)  
model 29, 151, 283
- scour, ice 270
- sea arches  
Chile 174–176, 176, 177  
Korea 197
- sea-birds 273
- sea caves  
Mediterranean 98, 103, 104, 108,  
111–112, 113  
South America 172, 173
- sea ice 7, 125, 128, 268–269, 269
- sea level change 2  
Australia 236–237  
British Isles 26, 30  
Canada 126, 127, 129, 133  
and climate change 7–10, 9, 10,  
12–13, 284  
Japan 204–205, 204  
Mediterranean 91  
New Zealand 229  
oceanic islands 248  
polar and sub-polar regions 266–267  
predictive models 151  
South America 160–161, 161  
and weathering 11
- seasonal variation, platform erosion 48, 52,  
81, 108, 230
- sea urchins 48, 69
- seaweeds 48, 67, 68, 272–273, 273
- sedimentary dykes, Ecuador 180, 181
- sediment supply  
and cliff recession 27  
from platform boulders 46
- seismic segmentation 160
- shore-fast ice 270
- Shoreline Management Plan (SMP), UK 23
- shrink–swell processes  
clay in the British Isles 19, 21  
organic 67  
rock swelling 60, 230, 238
- Sicily 99–101, 100
- skeletonization of islands 229, 251
- slaking *see* wetting and drying (slaking)
- Slovenia 104, 109, 110
- Society Islands 248, 249
- Soft Cliff and Platform Erosion (SCAPE)  
model 29, 151, 283
- solution *see* dissolution
- South America 155–156, 156, 157  
Argentina 159, 160, 161, 170–173, 171,  
172, 173  
Brazil 159, 161, 168–169, 168, 169  
Chile 159, 160, 173–176, 174, 175,  
176, 177  
Colombia 159, 165–167, 166, 167  
Ecuador 159, 178–184, 180, 181,  
182, 183  
Peru 159, 160, 176–178, 177, 178  
plates kinematics 159–160  
Quaternary staircase coastal landscapes  
156–160, 158  
sea level change 160–161, 161  
Uruguay 161, 169–170  
Venezuela 159, 169, 170
- Southern Great Lakes, Canada 12, 13, 130,  
131–132
- South Georgia 265, 268, 276, 276, 277
- South Orkney Islands 277
- South Sandwich Islands 277
- South Shetland Islands 267, 267, 268,  
270, 277
- Spain  
Atlantic coast  
cliff recession 80–81, 82, 83–84, 83  
morphology 79–80, 79  
platform erosion 85, 85  
platform inheritance 85  
Balearic Islands 95, 96, 97, 109, 110  
Canary Islands 250, 251  
Mediterranean coast 95, 109,  
110, 111
- sponges, boring 65, 66
- statistical models of cliff evolution 150
- step erosion 42, 44, 46, 49
- stepped cliffs 114
- stepped shore platform morphology 2, 3
- stochastic modelling 29
- storms  
Atlantic coast of Europe 77, 83, 84  
Australia 242  
British Isles 27  
Canada 125, 129  
Central America 155  
and climate change 7, 8, 9, 284  
Japan 206, 207, 217, 219  
Korea 198  
oceanic islands 248  
polar and sub-polar regions 267–268  
South America 155  
United States 138, 142, 144, 146
- strandflats 265–266, 266, 273–274
- stress-release fracturing 146
- subaerial processes  
cliff recession 27–28  
platform erosion 48, 238  
volcanic islands 252–253, 253
- subduction zones 91, 159–160
- subsidence, Darwinian theory of 229, 248,  
249, 251
- supratidal composite shore platforms,  
Mediterranean 92, 93, 114
- surf benches 255, 255, 256
- Svalbard 265, 266, 270–271, 271,  
273–274
- Swantesson laser scanners 44, 46,  
48, 49
- swelling  
rock 60, 230, 238  
*see also* shrink–swell processes
- Syria 112
- tafoni  
British Isles 59, 63  
Mediterranean 96, 102, 105
- TEB *see* Traversing Erosion Beam (TEB)
- tectonic uplift  
Japan 205  
Mediterranean 91, 101, 112  
South America 156, 159–160, 161, 169
- terraces  
stepped flights of 91  
surf benches 255, 255, 256  
*see also* marine terraces
- terrestrial laser scanning (TLS) 24, 25, 30
- thermoclasty 28, 60–62, 62  
and bioerosion 67  
and climate change 10–11
- tidally generated weathering, Canada 126,  
133–134
- tidal ranges  
Atlantic coast of Europe 77  
Australia 235–236  
British Isles 26, 39–40, 43  
Canada 126, 127, 132–133, 132  
Central America 155, 161, 164  
Japan 206–207, 207  
Korea 193–195, 195, 196  
Mediterranean 90, 91, 112, 114  
and platform gradient 43, 132–133,  
132, 235  
polar and sub-polar regions 267  
South America 155, 170, 171  
United States 138–139, 142, 148
- tidal simulators 133, 133
- tidal terraces 255, 255, 256
- tides 3  
and climate change 8  
and thermal cycling 62  
*see also* tidal ranges
- till *see* glacial till cliffs
- timescales of cliff change 24–26,  
30–31
- TLS *see* terrestrial laser scanning (TLS)
- TMEMs *see* transverse micro-erosion meters  
(TMEMs)
- transverse micro-erosion meters (TMEMs)  
133, 133, 134
- Traversing Erosion Beam (TEB) 46
- tropical cyclones  
and climate change 7, 8  
Japan 206, 217, 219  
Korea 198  
oceanic islands 248
- tsunami-deposited blocks  
Australia 242–243  
Mediterranean 90, 100, 105, 111,  
111, 112, 113, 114
- tsunamis 27  
Australia 242–243  
Canada 125–126  
Iceland 275  
Nicaragua 162  
South America 165

- tube-building worms 68  
tufa caves 112  
Tunisia 108, **111**, 113, 114  
Turkey **110**, 111–112, 115  
typhoons  
  Japan 206, 217, 219  
  Korea 198  
  oceanic islands 248
- United States 137–151  
  California  
    north and central 137, 138, 144–147, 145, 146  
    southern 137, 138, 147–149, 147, 148  
  cliff recession 137–138, 139–141, 141, 144, 146–147, 148–151  
  New England 137–141, 138, 139, 140, 141  
  Pacific NW 137, 138, 141–144, 142, 143  
  predictive models of cliff evolution 150–151
- uplift  
  Australia 236–237, 238–241  
  Canada 126, 127, 133  
  Central America 162–165  
  Japan 205  
  Korea 197, 198  
  Mediterranean 91, 97, 99–101, 105, 106, 108, 111, 112, 114  
  New Zealand 230, 231  
  polar and sub-polar regions 264, 266–267  
  rocky coast evolution models under uplift conditions 207–209, 208  
  South America 156, 158, 159–160, 161, 168, 169, 170, 176, 182–183, 184  
  *see also* horizontal platform development model, Japan
- Uruguay 161, 169–170  
U-series dating 254, 257
- Venezuela 159, 169, 170  
volcanic activity  
  Antarctic 277  
  Iceland 274–275  
volcanic islands 248–249, 249, 250–253, 250, 252, 253
- warming and cooling *see* thermoclasty  
washboard morphology 2, 3  
water flow, and cliff recession 27–28  
water-layer weathering 59  
wave erosion 3–4  
  Australia 237–239  
  basic equation for cliff erosion 209–212, 210, **211**, 211, 212  
  British Isles 26, 27, 48, 49  
  Canada 128, 129, 132, 134  
  Chile 174  
  and climate change 8–10, 9, 10  
  Iceland 275  
  Mediterranean 103  
  New Zealand 225–228, 231–232  
  polar and sub-polar regions 269, 277  
  United States 146, 147, 148, 149, 150  
  volcanic islands 251–252, 253, 253  
  weathering–wave erosion debate 132, 134, 225–228, 238  
  *see also* horizontal platform development model, Japan
- wave heights  
  Atlantic coast of Europe 77  
  Canada 125  
  Iceland 268
- Japan 206, 207, 212–213, 213, 217–218, 218  
Korea 195  
United States 144
- weathering  
  Australia 238, 239  
  British Isles 57–64, 69–71  
    chemical 60, 63–64, 66  
    example studies **58**  
    frost 44, 49, 62, 70  
    honeycomb 59, 63, 64  
    measurement 57–59  
    salt crystallization 28, 61, 62–63, 70  
    thermoclasty 28, 60–62, 62, 67  
    wetting and drying 60, 61
- Canada  
  frost 126–128, 128  
  tidally generated weathering 126, 133–134  
  and climate change 10–11  
  Japan 219–220, 219, 221  
  Mediterranean  
    honeycomb 96, 97, 102, 105, 114  
    salt weathering 102, 103, 105  
  New Zealand 225–228, 231  
  polar and sub-polar regions 270–271, 271, 275  
  South America 170, 180, 184  
  United States 149–150  
  volcanic islands 252  
  weathering–wave erosion debate 132, 134, 225–228, 238
- wetting and drying (slaking)  
  British Isles 60, 61  
  New Zealand 230, 231  
  polar and sub-polar regions 271  
  South America 184  
World Heritage Sites 284